

MEMORANDUM

TO: Leah Allison, Community Development
Officer Kevin Slavens, Police - TOU
Lt. Jaren Gingen, Police - Traffic Division
Fire Engineer Charlie Perrin, Fire Prevention Division
Leigha Adelsberger, Accounts Receivable Supervisor
Mayor Rita Ali, Liquor Commissioner
Charles Grayeb, Council Member
Chrissie Kapustka, Deputy Corporation Counsel
Patrick Hayes, Corporation Counsel

FROM: Trina D. Bonds, Chief Deputy City Clerk/Deputy Town Clerk
Liquor Commission Secretary

DATE: October 18, 2022

SUBJECT: **SITE APPLICATION: Case: 22-23**
Feast Buffet, Inc.
d/b/a Feast Buffet
4232 N. Brandywine Dr.
Requesting: Class G-B (Beer & Wine Only Restaurant)

The City Liquor Commission has received the attached application for consideration and would like to go before the Commission for a Public Hearing on Monday, December 5, 2022. **Contact person for this application is Hui Liu @ (573-975-9624)** if you have questions or need to make arrangements to inspect the interior of the building.

Your comments are DUE: November 22, 2022 so I can forward them to the Commissioners.

- Zoning classification/comments
- Police inspection/comments
- Traffic inspections/comments
- Code inspections/comments
- Fire Safety inspection/comments
- Accounts-fines/liens, etc. outstanding/comments
- Any comments concerning any aspect of the application.

Thanks!
Trina (ext. 8566)
City Clerk's Office

CITY CLERK
PEORIA, IL
2022 OCT 18 PM 2:30

**SITE APPROVAL APPLICATION FOR THE SALE OF ALCOHOLIC BEVERAGES
IN THE CITY OF PEORIA, ILLINOIS**

TO THE MAYOR OF THE CITY OF PEORIA, ILLINOIS, for approval of site location for the purpose of retail sale of alcoholic liquor, pursuant to an ordinance to regulate the sale of alcoholic liquor adopted by the City Council of the City of Peoria on January 2, 1974, and any subsequent amendments thereto:

1. Name(s), address(es) and phone number(s) of Property Owner(s):
Jin Ming Wu 4400 Rhyme Dr Springfield IL 62711 (830) 900-9112
2. Name, address and phone number of Intended Lessee:
Feast Buffet Inc DBA Feast Buffet 4232 N Brandywine DR 61614
Hui Liu 2309 S MacArthur Blvd Springfield IL 62704 573-975-9624
3. Street address of Property requested for approval:
4232 N Brandywine DR
NOTE: All site approvals are 1st floor only, unless specifically applied for and authorized.
4. Legal description of Property listed in #3:
See Attached
5. Are there any improvements (buildings, accessories, etc.) presently on the property? Yes ___ No
If Yes, please give description of same:

6. Are you planning to build any improvements upon the property? Yes If Yes, please indicate such improvements: New walls, flooring, seating, New kitchen Area
7. What type of sale of alcoholic beverages is the property to be used for (i.e., tavern, restaurant, package liquor, etc.)? restaurant
8. Is this property located in a residential section? Yes ___ No
9. What classification of license are you applying for? (Section 3-52 of the Code of the City of Peoria)
Class: A, B, B1, C, C1, CG, D, E, E-1, G-A, G-B, G-C, I, J, K, K-1, L, M, N G-B
Subclass: 1, 1A, 2, 2A, 3, 3A, 4, 6, 7, 8, 10, 11, 12 _____
10. Do you plan to add video gaming? Yes No ___
(Must wait 2 years & show 80% revenue from food & drinks)
11. **A site plan MUST BE SUBMITTED with this application, see Attachment A.**

AFFIDAVIT

I (we) swear that I (we) am (are) the owner(s) of the property described in this application and that the statements contained herein are true and correct.

Subscribed and sworn to before me this
18th day of October, 2022

Joune DeBonds


Notary Public

Jin Ming Wu

Signature of Property Owner(s)

(NOTE: Non-Refundable \$250 Filing Fee)

Peoria County, IL - Property Report 10/18/2022				
Parcel ID	Property Address	City	State	Zip
1430227002	4232 N Brandywine Dr	PEORIA	IL	61614



Owner Information	
Owner Name	WU, JINMING
Mailing Address	4400 THYME DR
City	SPRINGFIELD
State	IL
Zip	62711



Mobile
Maps and
Information



Disclaimer: Peoria County makes every effort to produce and publish the most current and accurate information possible. This public information is furnished as a public service. The information must be accepted and used by the recipient with the understanding that the data was developed and collected for the purpose of administering a local property tax as required by the Illinois Property Tax Code. Peoria County assumes no liability whatsoever associated with the use or misuse of such data, and disclaims any representation or warranty as to the accuracy of the data.

Legal Description
NE 1/4 SEC 30-9-8E COMG NE COR SEC 30: TH SW 137.61' TO POB: TH SW 181' SW 126.71' SW 88.34' TO NE LN BRANDYWINE DR NLY ALG SD NE LN ON CURVE RIGHT 228.42' ELY 326.93' TO POB

Property Information - Section 1								
Property Type	Tax Code	Neighborhood	House Style	Stories	Exterior Construction	Year Built	Effective Year Built	Acres
	001	614				0	0	1.26

Property Information - Section 2							
Total Living Area	Main Living Area	Basement	Finished Basement	Recreation Area	Attached Garage	Detached Garage	
0	0	0	0	0	0	0	

Property Information - Section 3									
Air Conditioning	Bedrooms	Full Baths	Half Baths	Fire Places	Grade	Condition	Land AV	Building AV	Total AV
	0	0	0	0			\$107,610	\$201,090	\$308,700

EXIST'G CONCRETE ENTRANCE

N. BRANDYWINE DRIVE

A SITE PLAN
2023 04-10





EXIST'G CONCRETE ENTRANCE

PROPERTY LINE

PROPERTY LINE

EXIST'G TWO-STORY BUILDING 11410SF
4232 N BRANDYWINE DR
PEORIA IL, 61614



SCREENING MATERIALS FOR ROOF MOUNTED MECHANICAL EQUIPMENT WILL BE PROVIDED BY MANUFACTURER CASCADEROOFSCREENS

CASCADEROOFSCREENS, INC.
888 WALTON AVENUE - SANTA CLARA, CA 95058 - PHONE (408) 637-1700
www.cascaderoofscreens.com

Leaver Style A Data Sheet

Our Style A Leavers are a premium product that are less expensive than other leavers on the market and simpler to install.

- Each Leaver also comes in 24' lengths.
- Base mounted in 24 gauge galvanized steel about metal.
- Hinged clip material is 24 gauge steel about metal with a Super Pin®
- 20 year warranty.
- Factory finish finish available in standard colors.
- New steel clip design offers for greater durability during installation.
- Horizontal installations attach directly to brace with self-aligning grommet.
- Vertical installations require horizontal grommet in bar channel.

WEI TAN
2425 S WENBURN AVE
CHICAGO IL 60616
Phone: (773) 873-5704
Email: weitan@weitan.com
LICENSE NO: 001-020913
EXPIRES: 11/30/2022

MEP ENGINEER
200 W ALXANDER STREET
CHICAGO IL 60604
PHONE: (312) 226-8800
BILL: MANAGER@MFM.COM
LICENSE NO.: 002-080027
EXPIRES: 11/30/2023

FEAT BUFFET
EXTERIOR & INTERIOR REMODELING
4232 N BRANDYWINE DRIVE PEORIA ILLINOIS 61614


ISSUED FOR PERMIT	DATE
RECEIVED FOR REVIEW	05/07/2023
RECEIVED FOR REVIEW	05/07/2023



SITE PLAN

SHEET NUMBER

A1



PROJECT DATA:

- Total square footage: 9000 ± sq. ft.
- Construction Type: I-B Unprotected
- Use/Occupancy Classification (300 OCCUPANTS): A-2 Assembly
- Fire Sprinkler Systems: YES
a) The building will be equipped with automatic fire suppression system. The sprinkler contractor shall submit shop drawings for permit and approval.
- Building Occupancy for Existing (IBC section 1004.1.1) Requirements Building Occupancy Calculations for life safety
- Number of Exits (per IBC section 1019.1)
Required: 2
Provided: 6
- Egress width (per IBC section 1005.1)
Exit Capacity Calculations (doors)
Required: 0.2 x 300 = 61.6' Provided: clear 216'
- Maximum exit access travel distance (IBC section 1016.1)
Allowed: 250 ft
Provided: Egress Path-1: 45'-0"
Egress Path-2: 58'-0"
Egress Path-3: 100'-0"
Egress Path-4: 85'-0"
Egress Path-5: 60'-0"
- Plumbing Requirements (2014 ILLINOIS PLUMBING CODE)
Total occupancy seats for this calculation shall be 299 (150 men) (149 women)

	MALE			FEMALE	
	W.C.	URINALS	LAV.	W.C.	LAV.
Required	2	2	2	4	2
Provided	2	2	3	4	4

DEFERRED SUBMITTAL:

- SPRINKLER :
SPRINKLER CONTRACTOR SHALL SUBMIT SHOP DRAWING FOR APPROVAL AND PERMIT.
- FIRE ALARM:
FIRE ALARM CONTRACTOR SHALL SUBMIT FIRE ALARM SHOP DRAWING FOR APPROVAL AND PERMIT.
- HOOD FIRE SUPPRESSION:
HOOD FIRE SUPPRESSION CONTRACTOR SHALL SUBMIT FIRE ALARM SHOP DRAWING FOR APPROVAL AND PERMIT.

Need a 10# ABC fire extinguisher mounted every 75' of travel distance. The Kitchen shall require separate extinguisher not counted in the 75 feet travel distance.
 Type I Hood shall be installed in accordance with IMC 2014. This includes the clearances to combustible materials.
 An Illinois Certified Fire Equipment Distributor must submit drawing, application and fee for the required Type I kitchen hood suppression system. An acceptance test is required to be witnessed by fire department personnel.



NITL LLC
 5435 S WESTMORRY AVE
 CHICAGO IL 60619
 Phone: (773) 912-0798
 Email: nitl@nitlllc.com
 LICENSE NO. 001-020713
 EXPIRES 11/30/2022

MEP ENGINEER
 304 W ALEXANDER STREET
 CHICAGO IL 60601
 PHONE: (312) 772-2882
 BILLY MANRANG@NICKLA.COM
 LICENSE NO.: 002-080627
 EXPIRES: 11/30/2025




**FEAST BUFFET
 EXTERIOR & INTERIOR REMODELING**
 4322 N BRANDYwine DRIVE PEORIA ILLINOIS 61614

SCALE	A1	A2	A3	A4	A5	A6	A7	A8	A9	A10
DATE	08/22/2014	08/22/2014	08/22/2014	08/22/2014	08/22/2014	08/22/2014	08/22/2014	08/22/2014	08/22/2014	08/22/2014
BY	BILLY MANRANG	BILLY MANRANG	BILLY MANRANG	BILLY MANRANG	BILLY MANRANG	BILLY MANRANG	BILLY MANRANG	BILLY MANRANG	BILLY MANRANG	BILLY MANRANG
CHECKED BY	MEP ENGINEER	MEP ENGINEER	MEP ENGINEER	MEP ENGINEER	MEP ENGINEER	MEP ENGINEER	MEP ENGINEER	MEP ENGINEER	MEP ENGINEER	MEP ENGINEER




OCCUPANCY & EXITING DIAGRAM

PLUMBING FIXTURES	QTY	REMARKS
WATER CLOSET	2	
LAVATORY	2	
URINAL	1	
COMP. SINK	1	
HAND SINK	1	
WATER STATION	2	
WATER STATION	2	
WATER STATION	2	
WATER STATION	2	
WATER STATION	2	
WATER STATION	2	
WATER STATION	2	
WATER STATION	2	
WATER STATION	2	
WATER STATION	2	
WATER STATION	2	
WATER STATION	2	
WATER STATION	2	



- PLUMBING REQUIREMENTS**
- ALL PLUMBING SHALL COMPLY WITH THE LOCAL PLUMBING & HEALTH DEPARTMENT REQUIREMENTS, AND ALL APPLICABLE CODES AND INSPECTIONS.
 - INSULATE ALL HOT & COLD WATER LINES ABOVE GRADE WITH 3/4" FIBERGLAS PIPE INSULATION, WITH VAPOR BARRIER.
 - VERIFY ALL FINAL CONNECTIONS TO KITCHEN EQUIPMENT WITH KITCHEN SUPPLIER. VERIFY ROUGH-IN REQUIREMENTS WITH SAME.
 - MATERIALS SHALL BE AS FOLLOWS:
 - A: WATER PIPING TO BE TYPE 'K' COPPER BELOW GRADE, TYPE 'L' COPPER ABOVE GRADE.
 - B: WASTE PIPING TO BE CAST IRON, OR PVC PLASTIC (APPROVED BY LOCAL AUTHORITY).
 - C: VENTS TO BE CAST IRON, GALVANIZED STEEL, OR PVC PLASTIC PIPE.
 - D: GAS PIPING TO BE SCHEDULE 40, BLACK STEEL PIPE. PROVIDE AUTOMATIC GAS SHUT-OFF VALVE IN COOKING EQUIPMENT SUPPLY MAIN AS REQUIRED FOR COOKING EQUIPMENT FIRE PROTECTION SYSTEM. VERIFY & COORDINATE WITH KITCHEN EQUIPMENT SUPPLIER.
 - ALL INDIRECT WASTES EXCEEDING 24" IN LENGTH SHALL BE TRAPPED.
 - PROVIDE CLEANOUTS REQUIRED, & AT THE BASE OF ALL STACKS.
 - ALL MATERIALS USED WITHIN RETURN AIR PLENUMS SHALL BE APPROVED FOR SUCH USE.
 - PROVIDE FIXTURE STOPS AT ALL PLUMBING FIXTURES.
 - PROVIDE ALL FITTING & ACCESSORIES AS REQUIRED FOR A COMPLETE INSTALLATION.
 - HOT WATER SUPPLIED TO LAVATORY FIXTURES SHALL NOT EXCEED 110°F.
 - HANDICAP PLUMBING FIXTURES SHALL BE INSTALLED IN ACCORDANCE WITH THE ADA REQUIREMENTS & LOCAL STATE BARRIER FREE REQUIREMENTS.
 - COORDINATE ALL WORK IN FIELD WITH ARCHITECTURAL, MECHANICAL & ELECTRICAL TRADES.
 - VERIFY ALL EXISTING JOB CONDITIONS & AS REQUIRED FOR A COMPLETE INSTALLATION.



LEGEND	
---	SANITARY LINE
---	GREASE LINE
○	OSD OPEN SITE DRAIN
⊠	F.S. FLOOR SINK
T.D.	TRENCH DRAIN
F.D.	FLOOR DRAIN
○	OSD OPEN SITE DRAIN
●	H.D. HUB DRAIN

Greater Peoria Sanitary District
 Date 9/27/2022
 By GIA
 Approved as submitted
 Approved with comments
 Returned for corrections
 Rejected
 Resubmit
TV/locate existing lateral and investigate depth to confirm ability to meet design slope prior to construction.

- Prior to construction the Contractor shall positively locate the existing sewer lateral and lateral to document condition. This work shall be performed in the presence of District personnel. That any work to sewer infrastructure must be completed by a Contractor that is licensed and bonded by the District.
- If the lateral and sewer line, any or top are observed to be an unacceptable condition the existing lateral shall be utilized.
- If the lateral is determined to be an unacceptable condition for the existing line, any or top of the sewer system is found to be an acceptable condition, then the existing lateral shall be abandoned and/or removed system of the existing sewer line, any or top and the new lateral shall be connected to the existing sewer main connection.
- In the event that it is determined that the existing line, any or top is in poor condition the District will either authorize the replacement of the existing lateral/top or authorize an alternate connection location. Please keep in mind that the decision will be at the discretion of the District.
- All sanitary sewer work shall be constructed in accordance with GPSD's Ordinance, General Specifications for Sanitary Sewers and Appearances and Building Sewer Regulations.
- The Contractor shall contact the District to notify them in advance of any sanitary sewer or manhole work to be performed so that the District may inspect the work; Contact Information is Greater Peoria Sanitary District 309-777-0844
- If a current District project that materials or facilities with commercial licenses shall utilize the 1,000 gallon grease trap design in accordance with GPSD standard detail 096-10 (Grease Trap Standard-Regulations List)
- All sanitary piping greater than two feet from the building shall be 6-inch PVC, 15M 70 (ASTM D3034). Specify the lateral pipe material, pipe slope and building sewer elevations. In accordance with Title 36 of the Illinois Administrative Code, Section 370, Subsection 320, Part (c) Service Connections, the manometer alternate sewer service slope is 1/8".
- In accordance with Title 36 of the Illinois Administrative Code, Section 370, Subsection 320, Part (c) Service Connections, unless straight line alignment is not maintained on building service sewers, channels or manholes shall be provided at points of change in alignment. Provide channels or manholes in accordance with GPSD standard for all changes of alignment. Channels shall also be provided 5' outside the building foundation.
- Install a Sampling Access Structure in accordance with GPSD standard detail 096-14. Sampling Access Structure shall be installed outside with the sanitary lateral and in a low traffic, paved area with a minimum clear floor area of 3' x 4' next to a building wall.
- Confirm if the sanitary discharge will be greater than or equal to 1,500 gallons per day Florida supporting calculation.
- Confirm that no downspouts, open drains, or building sills are connected to sewer system in accordance with GPSD Ordinance 581, Article 5 - Buildings and Sewers and Connections, Section 514

SEWAGE FLOW CALCULATION
 RESTAURANT SEWAGE FLOW - 400 MEALS PER DAY X 3 GALLONS PER PERSON PER DAY - 1200 GALLONS PER DAY
 09-12-2022

In accordance with Title 36 of the Illinois Administrative Code, Section 370, Subsection 320, Part (c) Service Connections, unless straight line alignment is not maintained on building service sewers, channels or manholes shall be provided at points of change in alignment. Provide channels or manholes in accordance with GPSD standard for all changes of alignment. Channels shall also be provided 5' outside the building foundation.

DRAINAGE FIXTURE UNITS:
 WATER CLOSSET 724 = 26
 LAVATORY 832 = 16
 URINAL 223 = 6
 COMP. SINK 1034 = 40
 HAND SINK 1432 = 28
 TOTAL = 118
 CHOOSE 4" PVC DRAIN 1/8" PER FT. SLOPE

A PLUMBING PLAN
 SCALE 1/4" = 1'-0"

1000 GALLON EXTERIOR GREASE TRAP AS MANUFACTURED BY DARNELL CONCRETE PRODUCTS OR APPROVED EQUAL SEE DETAILS ON SHEET P1

9811 340
 280 W. ALDEN STREET
 CHICAGO, IL 60618
 PHONE: 312.757.8800
 FAX: 312.757.8800
 LICENSE NO. 091-027913
 EXPIRES 11/30/2022

FEAST BUFFET
 EXTERIOR & INTERIOR REMODELING
 4222 N BRANDYWINE DRIVE PEORIA, ILLINOIS 61614

DATE: 09/27/2022
 DRAWN: J. ALLEN
 CHECKED: J. ALLEN
 RESULT: IN FINISH
 PROJECT NO: 22-00000001
 SHEET NO: P1 OF 01
 REVISIONS: NONE



PLUMBING PLAN & NOTES

SHEET NUMBER
P1

Trina Bonds

From: Leigha Adelsberger
Sent: Monday, November 14, 2022 1:28 PM
To: Trina Bonds
Subject: RE: 22-23 / Feast Buffet

Good afternoon!

There are no outstanding balances for this business (Feast Buffet) or the applicant at this time.

Thank you,

Leigha Adelsberger
City of Peoria, Illinois
Office of Accounts Receivable





PEORIA POLICE DEPARTMENT

November 21, 2022

City of Peoria, Liquor Commission
Office of Corporation Counsel
City of Peoria, Illinois

RE: Site Approval Application #22-23
Feast Buffet, Inc.
d/b/a Feast Buffet
4232 N. Brandywine Dr.
Requesting: Class G-B (beer & wine only, restaurant)

Dear Commissioners,

A site application has been received from *Feast Buffet, Inc.*, d/b/a Feast Buffet, 4232 N. Brandywine Dr., Peoria, Illinois for a Class G-B liquor license. Approval of this site application would allow the applicant to operate as a restaurant and serve beer and wine only at this location.

Officer Kevin Slavens inspected the site which is located in an established commercial area of town, just off War Memorial Drive, near the Northwoods Mall. This location neighbors numerous other retail stores, businesses, hotels, and a restaurant. There are single family residences behind this proposed site approximately 300 feet to the northeast in the 1800 block of W. Lake Avenue.

This site approval request appears to be appropriate for this location and would not be detrimental to the surrounding businesses or neighborhood. There are no traffic or parking concerns raised by this request.

The Peoria Police Department has no objections to this site approval request.

Sincerely,

Eric P. Echevarria
Chief of Police

EE/ks

cc: City Clerk
Corporation Council



Community Development Department

December 5, 2022

City of Peoria, Liquor Commission
Office of the Corporation Counsel
City of Peoria, Illinois

RE: **Case 22-23**
Feast Buffet, Inc.
d/b/a Feast Buffet
4232 N. Brandywine Dr.

Requesting: Class G-B (Beer & Wine Only Restaurant)

Dear Commissioners:

Building and Zoning staff from the Community Development Department have reviewed the above listed request. The following is a summary of the results:

1. The property is currently zoned C-1 (General Commercial) District. Restaurant use is permitted within this zoning district.
2. Building Permit Job No. COM 5476-2022 has been issued for restaurant alteration.
3. Any necessary trade permits must be obtained prior to work commencing. Mechanical, electrical and plumbing work must be completed by licensed and registered contractors in the City of Peoria.
4. All work must adhere to the Illinois Building Codes and Illinois Accessibility Codes.
5. Work must be completed as illustrated in approved plans and a Certificate of Occupancy must be obtained.

The Community Development Department does not object to the requested liquor license contingent upon issuance of a Certificate of Occupancy for the alteration.

Sincerely,

A handwritten signature in cursive script that reads "Leah Allison".

Leah Allison
Assistant Community Development Director

City Hall
419 Fulton Street, Suite 203
Peoria, IL 61602
309.494.8600

NOTICE OF PUBLIC HEARING

The Liquor Commission of the City of Peoria, Illinois will hold a Public Hearing on an application of a Class G-B Subclass Liquor License for the following described property.

FEAST BUFFET, INC., D/B/A FEAST BUFFET
(name of establishment)

4232 N. BRANDYWINE
(address)

FOR USE AS:

REQUEST FOR A CLASS G-B (BEER & WINE ONLY)

RESTAURANT LIQUOR LICENSE.

The Hearing will be held on MONDAY - DECEMBER 5, 2022 in Room 404 at City Hall, 419 Fulton Street, Peoria, Illinois at 3:30 p.m., or as soon thereafter as the item can be heard.

Because the proposed location is within 300 feet of the premises owned or occupied by you, you may wish to attend this Hearing.

Objections may be heard at the meeting or submitted in writing to the Secretary of the Liquor Commission, City Hall, 419 Fulton, Room 401, Peoria, IL 61602.

Information concerning the application is available in the City Clerk's Office, City Hall, Room 401, or by calling the Secretary of the Liquor Commission at (309) 494-8566. Be advised that certain information is restricted under the requirements of the Freedom of Information Act.

7

the Church of the Nazarene, Advisory
Board of the Nw II District of
3520 Broadway St
Pekin, IL 61554

Jer/Jameson Properties LLC
C/O Longhouse Hospitality 4770 S
Atlanta Rd Suite 200
Smyrna, GA 30080

~~Jer/Jameson Properties LLC
C/O Longhouse Hospitality 4770 S
Atlanta Rd Suite 200
Smyrna, GA 30080~~

Deaa Hospitality LLC
4424 N Brandywine
Peoria, IL 61614

Pr Peoria LLC
4114 N Brandywine Dr
Peoria, IL 61614

4240 Brandywine LLC
P O Box 178
Morris Plains, NJ 07950

Wu, Jinming
4400 Thyme Dr
Springfield, IL 62711

Nation, Michael
1821 W Lake Ave
Peoria, IL 61614

STATE OF ILLINOIS)
) ss
COUNTY OF PEORIA)

f

AFFIDAVIT

Hui Liu, being duly sworn, does hereby swear/affirm
that:

1. I am the Liquor Licensee of Feast Buffet Inc
(establishment name)

located at 4232 N Brandywine DR, Peoria, Illinois.
(address)

2. On October 19 2022, I caused Notices of Hearing to be
mailed to all property owners within 300 feet of my liquor establishment.

3. I have attached to this Affidavit, the list of property owners and their
addresses to whom I mailed Notices.

FURTHER AFFIANT SAYETH NOT.

Hui Liu 573-975-9624

Hui Liu
(Signature of Liquor Licensee)

Subscribed and sworn to before me
this 18th day of October,
2022.

Torina D Bonds
Notary Public

