

HIGHWAY AUTHORITY AGREEMENT

This Agreement is entered into this 11th day of March, 2011, pursuant to 35 Ill. Adm. Code 742.1020 by and between the (1) Illico, Inc. ("Owner/Operator") and (2) the City of Peoria, Illinois ("Highway Authority"), collectively known as the "Parties."

WHEREAS, Illico, Inc. is the owner or operator of one or more leaking underground storage tanks presently or formerly located at 3712 North University Street, Peoria, Illinois 61614 ("the Site");

WHEREAS, as a result of one or more releases of contaminants from the above referenced underground storage tanks ("the Release(s)"), soil and/or groundwater contamination at the Site exceeds Tier 1 residential remediation objectives of 35 Ill. Adm. Code 742;

WHEREAS, the soil and/or groundwater contamination exceeding Tier 1 residential remediation objectives extends or may extend into the Highway Authority's right-of-way;

WHEREAS, the Owner/Operator is conducting corrective action in response to the Release(s);

WHEREAS, the Parties desire to prevent groundwater beneath the Highway Authority's right-of-way that exceeds Tier 1 remediation objectives from use as a supply of potable or domestic water and to limit access to soil within the right-of-way that exceeds Tier 1 residential remediation objectives so that human health and the environment are protected during and after any access;

NOW, THEREFORE, the Parties agree as follows:

1. The recitals set forth above are incorporated by reference as if fully set forth herein.
2. The Illinois Emergency Management Agency has assigned incident number(s) 923441 to the Release.
3. Attached as **Exhibit A** is a scaled map(s) prepared by the Owner/Operator that shows the Site and surrounding area and delineates the current and estimated future extent of soil and groundwater contamination above the applicable Tier 1 residential remediation objectives as a result of the Release(s).
4. Attached as **Exhibit B** is a table(s) prepared by the Owner/Operator that lists each contaminant of concern that exceeds its Tier 1 residential remediation objective, its Tier 1 residential remediation objective and its concentrations within the zone where Tier 1 residential remediation objectives are exceeded. The locations of the concentrations listed in **Exhibit B** are identified on the map(s) in **Exhibit A**.
5. Attached as **Exhibit C** is a scaled map prepared by the Owner/Operator showing the area of the Highway Authority's right-of-way that is governed by this agreement ("Right-of-Way"). Because **Exhibit C** is not a surveyed plat, the Right-of-Way boundary may be an approximation of the actual Right-of-Way lines.
6. The Highway Authority stipulates it has jurisdiction over the Right-of-Way that gives it sole control over the use of the groundwater and access to the soil located within or beneath the Right-of-Way.
7. The Highway Authority agrees to prohibit within the Right-of-Way all potable and domestic uses of groundwater exceeding Tier 1 residential remediation objectives.

8. Owner/Operator will pay all costs incurred by Highway Authority in the management and disposal of petroleum contaminated soil and groundwater found within the Highway Authority's right-of-way.
9. The Highway Authority further agrees to limit access by itself and others to soil within the Right-of-Way exceeding Tier 1 residential remediation objectives. Access shall be allowed only if human health (including worker safety) and the environment are protected during and after any access. The Highway Authority may construct, reconstruct, improve, repair, maintain and operate a highway upon the Right-of-Way, or allow others to do the same by permit. In addition, the Highway Authority and others using or working in the Right-of-Way under permit have the right to remove soil or groundwater from the Right-of-Way and dispose of the same in accordance with applicable environmental laws and regulations. The Highway Authority agrees to issue all permits for work in the Right-of-Way, and make all existing permits for work in the Right-of-Way, subject to the following or a substantially similar condition:

As a condition of this permit the permittee shall request the office issuing this permit to identify sites in the Right-of-Way where a Highway Authority Agreement governs access to soil that exceeds the Tier 1 residential remediation objectives of 35 Ill. Adm. Code 742. The permittee shall take all measures necessary to protect human health (including worker safety) and the environment during and after any access to such soil.
10. This agreement shall be referenced in the Agency's no further remediation determination issued for the Release(s).
11. The Agency shall be notified of any transfer of jurisdiction over the Right-of-Way at least 30 days prior to the date the transfer takes effect. This agreement shall be null and void upon the transfer unless the transferee agrees to be bound by this agreement as if the transferee were an original party to this agreement. The transferee's agreement to be bound by the terms of this agreement shall be memorialized at the time of transfer in a writing ("Rider") that references this Highway Authority Agreement and is signed by the Highway Authority, or subsequent transferor, and the transferee.
12. This agreement shall become effective on the date the Agency issues a no further remediation determination for the Release(s). It shall remain effective until the Right-of-Way is demonstrated to be suitable for unrestricted use and the Agency issues a new no further remediation determination to reflect there is no longer a need for this agreement, or until the agreement is otherwise terminated or voided.
13. In addition to any other remedies that may be available, the Agency may bring suit to enforce the terms of this agreement or may, in its sole discretion, declare this agreement null and void if any of the Parties or any transferee violates any term of this agreement. The Parties or transferee shall be notified in writing of any such declaration.
14. This agreement shall be null and void if a court of competent jurisdiction strikes down any part or provision of the agreement.
15. This agreement supercedes any prior written or oral agreements or understandings between the Parties on the subject matter addressed herein. It may be altered, modified or amended only upon the written consent and agreement of the Parties.

16. Any notices or other correspondence regarding this agreement shall be sent to the Parties at following addresses:

Manager, Division of Remediation Management
Bureau of Land
Illinois Environmental Protection Agency
P.O. Box 19276
Springfield, IL 62974-9276

Owner/Operator
Illico, Inc.
P.O. Box 280
Lincoln, IL 62656

City of Peoria
Department of Public Works
Rick Powers, Director
3505 North Dries Lane
Peoria, IL 61604

IN WITNESS THEREOF, the Parties have caused this agreement to be signed by their duly authorized representatives.

Date: 3-11-22

CITY OF PEORIA

By: *Pat H. [Signature]*

Its: *City Manager*

ATTEST:

Stephanie Jarr
City Clerk

EXAMINED AND APPROVED:

Christine J. Kapuska

Corporation Counsel

Date: 2/14/22

OWNER/OPERATOR
ILLICO, INC.

By: *[Signature]*
David Golwitzer, President

**FIGURES FOR EXHIBIT A
CITY OF PEORIA
HIGHWAY AUTHORITY AGREEMENT**

**Former Illico, Inc. Service Station Property
3712 North University Street
Peoria, Illinois**



LEGEND

- PROJECT PROPERTY LINE
- - - PROPERTY LINE
- PIPING
- CONFIRMATION SAMPLE LOCATION
 - (● IMPACTED ABOVE TACO TIER 2 SRO'S)
 - (○ IMPACTED ABOVE TACO TIER 1 SRO'S BELOW TIER 2)
- SOIL BORING SAMPLE LOCATION
 - (● IMPACTED ABOVE TACO TIER 2 SRO'S)
 - (● IMPACTED ABOVE TACO TIER 1 SRO'S BELOW TIER 2)
 - (○ REMOVED DURING CORRECTIVE ACTION)

NOTE: Only largest model per sampling location is illustrated.

UST LEGEND

1. 12,000 GALLON GAS UST (REMOVED)
2. 12,000 GALLON GAS UST (REMOVED)
3. 12,000 GALLON GAS UST (REMOVED)
4. 12,000 GALLON DIESEL UST (REMOVED)
5. 6,000 GALLON KEROSENE UST (REMOVED)




1" = 50'

GWC
GREEN WAVE CONSULTING, LLC
 4440 ASH GROVE DRIVE, Suite A
 Springfield, IL 62711 (217-726-7569)

EXTENT OF TIER 1 SOIL IMPACTION MAP	
ILILCO, INC. - UNIVERSITY	
3712 N. UNIVERSITY ST.	PEORIA, IL 61614
INCIDENT NO. 1992-3441	FILE NAME ILILCO - UNIVERSITY - SAF

PREPARED WOLFE	DATE 05/2020
DRAWN WOLFE	DATE 05/2020
APPROVED WIENHOFF	DATE 05/2020
PROJECT NO. 120	FIGURE A-1



LEGEND

- PROJECT PROPERTY LINE
- PROPERTY LINE
- PIPING

MONITORING WELL LOCATION
 (⊙) IMPACTED ABOVE TACO TIER 1 GROS)

DELINEATED EXTENT OF TIER 1 GROUNDWATER IMPACT
 NOTE: Only largest model per sampling location is illustrated.

UST LEGEND

1. 12,000 GALLON GAS UST (REMOVED)
2. 12,000 GALLON GAS UST (REMOVED)
3. 12,000 GALLON GAS UST (REMOVED)
4. 12,000 GALLON DIESEL UST (REMOVED)
5. 6,000 GALLON KEROSENE UST (REMOVED)

GWC
 GREEN WAY CONSULTING, LLC
 4440 Ash Grove Drive, Suite A
 Springfield, IL 62711 (217-726-7999)

0' 50' 100' 200' FEET
 1" = 100'

EXTENT OF TIER 1 GROUNDWATER IMPACT	PREPARED	DATE
ILLICO, INC. - UNIVERSITY	WOLFE	05/2020
3712 N. UNIVERSITY ST. PEORIA, IL 61614	DRAWN	DATE
FILE NAME ILLICO-UNIVERSITY-SAF	WOLFE	05/2020
INCIDENT NO. 1992-0411	APPROVED	DATE
	WIEHNHOFF	09/2020
	PROJECT NO.	FIGURE
	120	A-2

**TABLES FOR EXHIBIT B
CITY OF PEORIA
HIGHWAY AUTHORITY AGREEMENT**

**Former Illico, Inc. Service Station Property
3712 North University Street
Peoria, Illinois**

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection	Time of Sample Collection	Environmental Laboratory Sample Number	IEPA TACO Tier 1 Soil Remediation Objectives										Metropolitan Statistical Area Background Concentration		
			Soil Component of the Groundwater Ingestion Exposure Pathway					Inhalation Exposure Pathway							
			SB-11 3.5-5' 7-8'	SB-12 3.5-5' 7-8'	SB-13 3.5-5' 7-8'	SB-12 7-8'	SB-13 3.5-5' 7-8'	SB-13 6-7'	Class I	Class II	Residential	Commercial/Industrial		Construction Worker	Residential
Contaminants of Concern:															
BTEX Organic Compounds (5035A,8200B)															
Date Analyzed:	Units	Rep. Limit	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012
Benzene	µg/kg	Varies**	288	3,980	51.5	629	2,050	11,700	92,700	12,000	29,000	100,000	2,300,000	2,300,000	2,300,000
Toluene	µg/kg	Varies**	<64.2	51,600	<62.8	2,720	<62.8	92,700	16,000,000	12,000	29,000	100,000	2,300,000	2,300,000	2,300,000
Ethylbenzene	µg/kg	Varies**	58.1	31,600	<32.1	3,940	1,900	29,700	7,800,000	13,000	19,000	200,000,000	20,000,000	20,000,000	400,000
Total Xylenes	µg/kg	Varies**	332	159,000	<96.2	13,700	8,400	142,000	16,000,000	150,000	150,000	410,000,000	41,000,000	41,000,000	320,000
Polynuclear Aromatic Hydrocarbons (8270C)															
Date Analyzed:	Units	Rep. Limit	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012
Acenaphthene	µg/kg	Varies**	<21.4	<271	<21.4	<69.7	<22.0	<104	570,000	2,900,000	4,700,000	120,000,000	120,000,000	120,000,000	130
Acenaphthylene	µg/kg	Varies**	<21.4	<271	<21.4	<69.7	<22.0	<104	43,000	215,000	2,300,000	61,000,000	61,000,000	61,000,000	70
Anthracene	µg/kg	Varies**	<21.4	<271	<21.4	<69.7	<22.0	<104	12,000,000	59,000,000	23,000,000	610,000,000	610,000,000	610,000,000	400
Benzo(a)anthracene	µg/kg	Varies**	<21.4	<271	<21.4	<69.7	<22.0	<104	2,000	8,000	900*	170,000	170,000	170,000	1,800*
Benzo(b)pyrene	µg/kg	Varies**	<21.4	<271	<21.4	<69.7	<22.0	<104	8,000	82,000	90*	8,000	8,000	8,000	2,100*
Benzo(k)fluoranthene	µg/kg	Varies**	<21.4	<271	<21.4	<69.7	<22.0	<104	5,000	25,000	900*	8,000	8,000	8,000	2,100*
Benzo(e)fluoranthene	µg/kg	Varies**	<21.4	<271	<21.4	<69.7	<22.0	<104	49,000	250,000	9,000	78,000	1,700,000	1,700,000	1,700
Benzo(g,h)perylene	µg/kg	Varies**	<21.4	<271	<21.4	<69.7	<22.0	<104	16,000,000	82,000,000	2,300,000	61,000,000	61,000,000	61,000,000	1,700
Chrysene	µg/kg	Varies**	<21.4	<271	<21.4	<69.7	<22.0	<104	160,000	800,000	88,000	780,000	17,000,000	17,000,000	2,700
Dibenz(a,h)anthracene	µg/kg	Varies**	<21.4	<271	<21.4	<69.7	<22.0	<104	2,000	7,600	90*	800	17,000	17,000	420*
Fluoranthene	µg/kg	Varies**	<21.4	<271	<21.4	<69.7	<22.0	<104	4,300,000	21,000,000	3,100,000	82,000,000	82,000,000	82,000,000	4,100
Fluorene	µg/kg	Varies**	<21.4	<271	<21.4	<69.7	<22.0	<104	560,000	2,800,000	3,100,000	82,000,000	82,000,000	82,000,000	180
Indeno(1,2,3-cd)pyrene	µg/kg	Varies**	<21.4	<271	<21.4	<69.7	<22.0	<104	14,000	69,000	900*	8,000	170,000	170,000	1,600*
Naphthalene	µg/kg	Varies**	89.8	4,630	41.6	836	396	1,660	12,000	18,000	1,600,000	41,000,000	4,100,000	4,100,000	200
Phenanthrene	µg/kg	Varies**	<21.4	<271	<21.4	<69.7	<22.0	<104	140,000	710,000	1,600,000	61,000,000	61,000,000	61,000,000	2,500
Pyrene	µg/kg	Varies**	<21.4	<271	<21.4	<69.7	<22.0	<104	4,200,000	21,000,000	2,300,000	61,000,000	61,000,000	61,000,000	3,000
Percent Moisture (D2974-87)															
Date Analyzed:	Units	Rep. Limit	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012
Percent Moisture	%	—	22.1	23.1	22.1	20.4	24.2	19.6	—	—	—	—	—	—	—

* Pursuant to 35 IAC 742-415(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742. Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample and/or analyte.

Note: Analytical testing results for BTEX and PNAs are expressed in parts-per-billion (ppb) concentration; PNAs are expressed in parts-per-billion (ppb) concentration.

Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) are bolded.

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection	Time of Sample Collection	Environmental Laboratory Sample Number	IEPA TACO Tier 1 Soil Remediation Objectives										Metropolitan Statistical Area Background Concentration			
			Soil Component of the Groundwater Ingestion Exposure Pathway					Inhalation Exposure Pathway								
			Class I		Class II			Residential	Commercial	Industrial	Construction	Residential		Commercial	Industrial	Construction
			SB-14 3.5-5'	SB-14 6-7'	SB-15 5-6'	SB-16 3.5-5'	SB-16 6-7'	30	170	12,000	100,000	2,300,000		800	1,600	2,200
Contaminants of Concern:																
BTEX Organic Compounds (5035A, R260B)																
Date Analyzed:	Units	Rep. Limit	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012			
Benzene	µg/kg	Varies**	669	4,210	41,800	1,010	<61.3	<61.3	<61.3	<61.3	<61.3	<61.3	<61.3			
Toluene	µg/kg	Varies**	<61.8	24,100	305,000	<61.3	<61.3	<61.3	<61.3	<61.3	<61.3	<61.3	<61.3			
Ethylbenzene	µg/kg	Varies**	213	1,330	9,170	164	11,200	11,200	11,200	11,200	11,200	11,200	11,200			
Total Xylenes	µg/kg	Varies**	249	49,900	566,000	156	36,100	36,100	36,100	36,100	36,100	36,100	36,100			
Polynuclear Aromatic Hydrocarbons (R270C)																
Date Analyzed:	Units	Rep. Limit	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012			
Acenaphthene	µg/kg	Varies**	<21.6	<168	<264	<22.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0			
Acenaphthylene	µg/kg	Varies**	<21.6	<168	<264	<22.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0			
Anthracene	µg/kg	Varies**	<21.6	<168	<264	<22.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0			
Benzo(a)anthracene	µg/kg	Varies**	<21.6	<168	<264	<22.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0			
Benzo(b)pyrene	µg/kg	Varies**	<21.6	<168	<264	<22.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0			
Benzo(k)fluoranthene	µg/kg	Varies**	<21.6	<168	<264	<22.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0			
Benzo(e)fluoranthene	µg/kg	Varies**	<21.6	<168	<264	<22.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0			
Benzo(g)h)perylene	µg/kg	Varies**	<21.6	<168	<264	<22.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0			
Chrysene	µg/kg	Varies**	<21.6	<168	<264	<22.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0			
Dibenz(a,h)anthracene	µg/kg	Varies**	<21.6	<168	<264	<22.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0			
Fluoranthene	µg/kg	Varies**	<21.6	<168	<264	<22.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0			
Fluorene	µg/kg	Varies**	<21.6	<168	<264	<22.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0			
Indeno(1,2,3-cd)pyrene	µg/kg	Varies**	<21.6	<168	<264	<22.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0	<68.0			
Naphthalene	µg/kg	Varies**	<21.6	130	3,440	<22.0	791	18,000	18,000	18,000	18,000	18,000	18,000			
Phenanthrene	µg/kg	Varies**	<21.6	<168	<264	<22.0	141	140,000	710,000	2,300,000	61,000,000	61,000,000	61,000,000			
Pyrene	µg/kg	Varies**	<21.6	<20.7	<264	<22.0	<68.0	4,200,000	21,000,000	61,000,000	61,000,000	61,000,000	61,000,000			
Percent Moisture (D2974-87)																
Date Analyzed:	Units	Rep. Limit	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012			
Percent Moisture	%	---	22.8	19.3	30.6	24.1	18.4	---	---	---	---	---	---			

* Pursuant to 35 IAC 742.415(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC the background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742 Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample.

Note: Struck-through results indicate sample location removed during Corrective Action remediation (either re-used as backfill or transported for disposal).

Note: Analytical testing results for BTEX and PNAs are expressed in parts-per-billion (ppb) concentration.

Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) in bold.

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection	Time of Sample Collection	Environmental Laboratory Sample Number	IEPA TACO Tier 1 Soil Remediation Objectives												Metropolitan Statistical Area Background Concentration																	
			Soil Component of the Groundwater Ingestion Exposure Pathway						Inhalation Exposure Pathway																							
			Class I		Class II		Residential	Commercial/Industrial	Construction Worker	Residential	Commercial/Industrial	Construction Worker																				
8/8/2012	8:30-AM	4065098014	3.5-5'	6-7'	8/8/2012	9:00 AM	8/8/2012	9:15 AM	8/8/2012	9:40 AM	8/8/2012	10:00 AM	3.5-5'	6-7'	8/8/2012	10:00 AM	4065098017	4065098018	170	12,000	100,000	2,300,000	800	1,600	2,200	---						
8/8/2012	8:30-AM	4065098015	3.5-5'	6-7'	8/8/2012	9:00 AM	8/8/2012	9:15 AM	8/8/2012	9:40 AM	8/8/2012	10:00 AM	3.5-5'	6-7'	8/8/2012	10:00 AM	4065098017	4065098018	30	12,000	100,000	2,300,000	800	1,600	2,200	---						
8/8/2012	8:30-AM	4065098016	3.5-5'	6-7'	8/8/2012	9:00 AM	8/8/2012	9:15 AM	8/8/2012	9:40 AM	8/8/2012	10:00 AM	3.5-5'	6-7'	8/8/2012	10:00 AM	4065098017	4065098018	12,000	16,000,000	410,000,000	410,000,000	650,000	650,000	42,000	---						
8/8/2012	8:30-AM	4065098017	3.5-5'	6-7'	8/8/2012	9:00 AM	8/8/2012	9:15 AM	8/8/2012	9:40 AM	8/8/2012	10:00 AM	3.5-5'	6-7'	8/8/2012	10:00 AM	4065098017	4065098018	13,000	7,800,000	200,000,000	20,000,000	400,000	400,000	58,000	---						
8/8/2012	8:30-AM	4065098018	3.5-5'	6-7'	8/8/2012	9:00 AM	8/8/2012	9:15 AM	8/8/2012	9:40 AM	8/8/2012	10:00 AM	3.5-5'	6-7'	8/8/2012	10:00 AM	4065098017	4065098018	150,000	16,000,000	410,000,000	41,000,000	320,000	320,000	5,500	---						
Contaminants of Concern:																																
BTEX Organic Compounds (5035A/8260B)																																
Date Analyzed:	Units	Rep. Limit																									Units	Rep. Limit				
Benzene	µg/kg	Varies**	41-190	6-790	4015	365	170	12,000	100,000	2,300,000	800	1,600	2,200	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---			
Toluene	µg/kg	Varies**	3-770	65.0	903	<59.5	29,000	16,000,000	410,000,000	410,000,000	650,000	650,000	42,000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
Ethylbenzene	µg/kg	Varies**	3-140	21,000	637	<32.5	19,000	7,800,000	200,000,000	20,000,000	400,000	400,000	58,000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
Total Xylenes	µg/kg	Varies**	3-620	112,000	645	<89.3	150,000	16,000,000	410,000,000	41,000,000	320,000	320,000	5,500	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
Polynuclear Aromatic Hydrocarbons (8270C)																																
Date Analyzed:	Units	Rep. Limit																									Units	Rep. Limit				
Acenaphthene	µg/kg	Varies**	<21.5	<207	<21.5	<21.7	43.7	570,000	2,900,000	4,700,000	120,000,000	120,000,000	130	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
Acenaphthylene	µg/kg	Varies**	<21.5	<207	<21.5	<21.7	<19.8	43,000	215,000	2,300,000	61,000,000	61,000,000	70	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Anthracene	µg/kg	Varies**	<21.5	<207	<21.5	<21.7	34.8	12,000,000	59,000,000	23,000,000	610,000,000	610,000,000	400	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Benzo(a)anthracene	µg/kg	Varies**	<21.5	<207	<21.5	<21.7	<19.8	2,000	8,000	900*	170,000	170,000	1,800*	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Benzo(a)pyrene	µg/kg	Varies**	<21.5	<207	<21.5	<21.7	<19.8	8,000	82,000	900*	8,000	170,000	2,100*	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Benzo(b)fluoranthene	µg/kg	Varies**	<21.5	<207	<21.5	<21.7	<19.8	5,000	25,000	900*	8,000	170,000	2,100*	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Benzo(k)fluoranthene	µg/kg	Varies**	<21.5	<207	<21.5	<21.7	<19.8	49,000	250,000	9,000	78,000	1,700,000	1,700	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Benzo(ghi)perylene	µg/kg	Varies**	<21.5	<207	<21.5	<21.7	<19.8	160,000	800,000	88,000	780,000	61,000,000	1,700	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Chrysene	µg/kg	Varies**	<21.5	<207	<21.5	<21.7	<19.8	2,000	7,600	90*	17,000	170,000	2,700	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Dibenz(o,h)anthracene	µg/kg	Varies**	<21.5	<207	<21.5	<21.7	<19.8	2,000	7,600	90*	17,000	170,000	2,700	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Fluoranthene	µg/kg	Varies**	<21.5	<207	<21.5	<21.7	<19.8	4,300,000	21,000,000	3,100,000	82,000,000	82,000,000	4,100	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Fluorene	µg/kg	Varies**	<21.5	<207	<21.5	<21.7	<19.8	560,000	2,800,000	3,100,000	82,000,000	82,000,000	180	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Indeno(1,2,3-cd)pyrene	µg/kg	Varies**	<21.5	<207	<21.5	<21.7	<19.8	14,000	69,000	900*	8,000	170,000	1,600*	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Naphthalene	µg/kg	Varies**	343	46,300	88.9	4.160	18,000	12,000	18,000	1,600,000	41,000,000	4,100,000	200	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Phenanthrene	µg/kg	Varies**	393	43,100	<21.5	<207	231	140,000	710,000	2,300,000	61,000,000	61,000,000	2,500	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Pyrene	µg/kg	Varies**	<21.5	<207	<21.5	<21.7	<19.8	4,200,000	21,000,000	2,300,000	61,000,000	61,000,000	3,000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Percent Moisture (D2974-87)																																
Date Analyzed:	Units	Rep. Limit																									Units	Rep. Limit				
Percent Moisture	%	---	16.4	22.6	19.3	23.1	16.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	

* Pursuant to 35 IAC 742.415(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC the background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742 Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample and Note: Struck-through results indicate sample location removed during Corrective Action remediation (either re-used as backfill or transported for disposal).

Note: Analytical testing results for BTEX and PNAs are expressed in parts-per-billion (ppb) concentration.

Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) **bold**.

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection	Time of Sample Collection	Environmental Laboratory Sample Number	IEPA TACO Tier 1 Soil Remediation Objectives										Metropolitan Statistical Area Background Concentration	
			Soil Component of the Groundwater Ingestion Exposure Pathway					Inhalation Exposure Pathway						
			Class I		Class II			Residential		Commercial/Industrial		Construction Worker		
			SB-22 3.5-5' 6-7'	SB-23 3.5-5' 5-6'	SB-24 3.5-5' 5-6'	SB-25 3.5-5' 5-6'	SB-26 3.5-5' 5-6'	Residential	Commercial/Industrial	Construction Worker	Residential	Commercial/Industrial		Construction Worker
Contaminants of Concern:														
BTX Organic Compounds (5035A,8260B)														
Date Analyzed:	Units	Rep. Limit	8/14/2012	8/14/2012	8/14/2012	8/14/2012	8/14/2012	8/14/2012	8/14/2012	8/14/2012	8/14/2012	8/14/2012		
Benzene	µg/kg	Varies**	<24.8	<25.5	<24.5	<25.6	148	170	12,000	100,000	2,300,000	2,200		
Toluene	µg/kg	Varies**	<62.0	<63.7	<61.2	<64.1	12,000	29,000	16,000,000	410,000,000	410,000,000	650,000		
Ethylbenzene	µg/kg	Varies**	<31.0	<31.9	<30.6	<32.0	13,000	19,000	7,800,000	200,000,000	20,000,000	400,000		
Total Xylenes	µg/kg	Varies**	<93.0	<95.6	<91.8	<96.1	130,000	150,000	16,000,000	410,000,000	41,000,000	320,000		
Polynuclear Aromatic Hydrocarbons (8270C)														
Date Analyzed:	Units	Rep. Limit	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012		
Acenaphthene	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	570,000	2,900,000	4,700,000	120,000,000	120,000,000	130		
Acenaphthylene	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	43,000	215,000	2,300,000	61,000,000	61,000,000	70		
Anthracene	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	12,000,000	59,000,000	23,000,000	610,000,000	610,000,000	400		
Benzo(a)anthracene	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	2,000	8,000	900*	170,000	170,000	1,800*		
Benzo(b)pyrene	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	8,000	82,000	90*	8,000	8,000	2,100*		
Benzo(k)fluoranthene	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	5,000	25,000	900*	8,000	170,000	1,700		
Benzo(e)fluoranthene	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	49,000	250,000	9,000	78,000	1,700,000	1,700		
Chrysene	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	16,000,000	82,000,000	2,300,000	61,000,000	61,000,000	1,700		
Dibenz(a,h)anthracene	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	160,000	800,000	88,000	780,000	17,000,000	2,700		
Fluorene	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	2,000	7,600	90*	800	17,000	420*		
Fluoranthene	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	4,300,000	21,000,000	3,100,000	82,000,000	82,000,000	4,100		
Indeno(1,2,3-cd)pyrene	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	560,000	2,800,000	3,100,000	82,000,000	82,000,000	180		
Naphthalene	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	14,000	69,000	900*	8,000	170,000	1,600*		
Phenanthrene	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	12,000	18,000	18,000	1,600,000	41,000,000	200		
Pyrene	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	140,000	710,000	2,300,000	61,000,000	61,000,000	2,500		
Percent Moisture (D2974-87)	µg/kg	Varies**	<20.7	<21.2	<20.4	<21.4	4,200,000	21,000,000	2,300,000	61,000,000	61,000,000	3,000		
Date Analyzed:	Units	Rep. Limit	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012	8/13/2012		
Percent Moisture	%	---	19.4	19.4	18.3	21.5	21.9	22.0	---	---	---	---		

* Pursuant to 35 IAC 742.415(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC the background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742 Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample and Note: Analytical testing results for BTX and PNAs are expressed in parts-per-billion (ppb) concentration.

Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) in bold

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection	Time of Sample Collection	Environmental Laboratory Sample Number	IEPA TACO Tier 1 Soil Remediation Objectives												Metropolitan Statistical Area Background Concentration														
			MW-9 2-4'		MW-10 0-4'		MW-11 2-4'		MW-11 4-6'		MW-12 2-4'		Soil Component of the Groundwater Ingestion Exposure Pathway																
			3/10/2015	8:45 AM	3/10/2015	9:30 AM	3/10/2015	10:10 AM	3/10/2015	10:15 AM	3/10/2015	11:00 AM	3/10/2015	1,660		30	170	12,000	100,000	2,300,000	2,300,000	2,300,000	800	1,600	1,600	2,200			
3/10/2015	8:40 AM	15-1022-001	15-1022-002	15-1022-003	15-1022-004	15-1022-005	3/10/2015	10:15 AM	3/10/2015	11:00 AM	3/10/2015	1,660	30	170	12,000	100,000	2,300,000	2,300,000	2,300,000	800	1,600	1,600	2,200						
Date of Sample Collection			Time of Sample Collection			Environmental Laboratory Sample Number			MW-9 2-4'		MW-10 0-4'		MW-11 2-4'		MW-11 4-6'		MW-12 2-4'		Soil Component of the Groundwater Ingestion Exposure Pathway				Soil Component of the Groundwater Ingestion Exposure Pathway				Metropolitan Statistical Area Background Concentration		
Date of Sample Collection		Time of Sample Collection		Environmental Laboratory Sample Number		MW-9 2-4'		MW-10 0-4'		MW-11 2-4'		MW-11 4-6'		MW-12 2-4'		Soil Component of the Groundwater Ingestion Exposure Pathway				Soil Component of the Groundwater Ingestion Exposure Pathway									
Date of Sample Collection		Time of Sample Collection		Environmental Laboratory Sample Number		MW-9 2-4'		MW-10 0-4'		MW-11 2-4'		MW-11 4-6'		MW-12 2-4'		Soil Component of the Groundwater Ingestion Exposure Pathway				Soil Component of the Groundwater Ingestion Exposure Pathway									
Contaminants of Concern:																													
BTEX Organic Compounds (5035A/8260B)																													
Date Analyzed:																													
Benzene	µg/kg	5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
Toluene	µg/kg	5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
Ethylbenzene	µg/kg	5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
Total Xylenes	µg/kg	5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
Polynuclear Aromatic Hydrocarbons (8270C)																													
Date Analyzed:																													
Acenaphthene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Acenaphthylene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Anthracene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Benzo(a)anthracene	µg/kg	8.7	39.4	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7
Benzo(b)pyrene	µg/kg	15	41	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	
Benzo(k)fluoranthene	µg/kg	11	39	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	
Benzo(e)fluoranthene	µg/kg	11	46	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	
Chrysene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Dibenz(a,h)anthracene	µg/kg	20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20
Fluoranthene	µg/kg	50	82	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Fluorene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Indeno(1,2,3-cd)pyrene	µg/kg	29	33	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29
Naphthalene	µg/kg	25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
Phenanthrene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Pyrene	µg/kg	50	75	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Solids, Total (2540B)																													
Date Analyzed:																													
Total Solids	%	---	78.81	81.42	92.97	77.63	77.86	79.27	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

* Pursuant to 35 IAC 742-415(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC the background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742 Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "nd" is typically the laboratory reporting limit for that sample.

Note: Analytical testing results for BTEX and PNAs are expressed in parts-per-billion (ppb) concentration.

Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) are bolded.

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

		IEPA TACO Tier 1 Soil Remediation Objectives								Metropolitan Statistical Area Background Concentration		
		Soil Component of the Groundwater Ingestion Exposure Pathway				Inhalation Exposure Pathway						
		Class I		Class II		Residential		Commercial				Construction Worker
Date of Sample Collection:	MW-12 4-6'	MW-13 2-4'	MW-14 2-4'	MW-14 4-6'	MW-15 2-4'	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015		
Time of Sample Collection	11:10 AM	11:40 AM	12:10 PM	12:15 PM	1:00 PM	15-1022-007	15-1022-010	15-1022-011	15-1022-012			
Environmental Laboratory Sample Number												
Contaminants of Concern:												
BTEX Organic Compounds (5035A, 8260B)												
Date Analyzed:	Units	Rep. Limit	3/16/2015	3/16/2015	3/16/2015	3/16/2015	3/16/2015	3/16/2015	3/16/2015	3/16/2015	3/16/2015	3/16/2015
Benzene	µg/kg	5.0	4,230	23.0	<5.0	654	<5.0	<5.0	<5.0	12,000	100,000	2,300,000
Toluene	µg/kg	5.0	4,660	<5.0	5.9	<5.0	<5.0	<5.0	12,000	29,000	16,000,000	410,000,000
Ethylbenzene	µg/kg	5.0	35,500	8.4	<5.0	9,820	<5.0	<5.0	13,000	19,000	7,800,000	200,000,000
Total Xylenes	µg/kg	5.0	178,000	16.3	5.8	44,600	<5.0	<5.0	150,000	150,000	16,000,000	410,000,000
Polynuclear Aromatic Hydrocarbons (8270C)												
Date Analyzed:	Units	Rep. Limit	3/16/2015	3/16/2015	3/16/2015	3/16/2015	3/16/2015	3/16/2015	3/16/2015	3/16/2015	3/16/2015	3/16/2015
Acenaphthene	µg/kg	50	<50	<50	<50	<50	<50	<50	570,000	2,900,000	4,700,000	120,000,000
Acenaphthylene	µg/kg	50	<50	<50	<50	<50	<50	<50	43,000	215,000	2,300,000	61,000,000
Anthracene	µg/kg	50	<50	<50	<50	<50	<50	<50	12,000,000	59,000,000	23,000,000	610,000,000
Benzo(a)anthracene	µg/kg	8.7	10.5	<8.7	32.7	<8.7	<8.7	<8.7	900*	8,000	8,000	170,000
Benzo(a)pyrene	µg/kg	15	<15	<15	35	<15	<15	<15	8,000	82,000	90*	800*
Benzo(b)fluoranthene	µg/kg	11	<11	<11	38	<11	<11	<11	5,000	25,000	900*	8,000
Benzo(k)fluoranthene	µg/kg	11	<11	<11	40	<11	<11	<11	49,000	250,000	9,000	78,000
Benzo(ghi)perylene	µg/kg	50	<50	<50	<50	<50	<50	<50	16,000,000	82,000,000	2,300,000	61,000,000
Chrysene	µg/kg	50	<50	<50	<50	<50	<50	<50	160,000	800,000	88,000	170,000
Dibenz(a,h)anthracene	µg/kg	20	<20	<20	<20	<20	<20	<20	2,000	7,600	90*	800
Fluoranthene	µg/kg	50	<50	<50	<50	<50	<50	<50	4,300,000	21,000,000	3,100,000	82,000,000
Fluorene	µg/kg	50	<50	<50	<50	<50	<50	<50	560,000	2,800,000	3,100,000	82,000,000
Indeno(1,2,3-cd)pyrene	µg/kg	29	<29	<29	33	<29	<29	<29	14,000	69,000	900*	8,000
Naphthalene	µg/kg	25	1,990	<25	272	288	<25	<25	12,000	18,000	1,600,000	41,000,000
Phenanthrene	µg/kg	50	51	<50	<50	<50	<50	<50	140,000	710,000	2,300,000	61,000,000
Pyrene	µg/kg	50	<50	<50	<50	<50	<50	<50	4,200,000	21,000,000	2,300,000	61,000,000
Solids, Total (2540B)												
Date Analyzed:	Units	Rep. Limit	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015
Total Solids	%	---	79.43	79.89	82.74	83.29	79.41	79.87	---	---	---	---

* Pursuant to 35 IAC 742.415(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC the background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742. Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample ana.

Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) **ibold**

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection	Time of Sample Collection	Environmental Laboratory Sample Number	IEPA TACO Tier 1 Soil Remediation Objectives												Metropolitan Statistical Area Background Concentration
			Soil Component of the Groundwater Ingestion Exposure Pathway				Ingestion Exposure Pathway				Inhalation Exposure Pathway				
			Class I	Class II	Residential	Commercial	Industrial	Commercial	Industrial	Residential	Commercial	Industrial	Residential	Commercial	
Contaminants of Concern:															
BTEX Organic Compounds (5035A, 8260B)															
Date Analyzed:	Units	Rep. Limit	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	
Benzene	µg/kg	5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
Toluene	µg/kg	5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
Ethylbenzene	µg/kg	5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
Total Xylenes	µg/kg	5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
Polynuclear Aromatic Hydrocarbons (8270C)															
Date Analyzed:	Units	Rep. Limit	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	
Acenaphthene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Acenaphthylene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Anthracene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Benzo(a)anthracene	µg/kg	8.7	<8.7	90.7	15.0	328	<8.7	14.7	17	8,000	8,000	170,000	17,000	1,800*	
Benzo(b)pyrene	µg/kg	15	<15	69	<15	297	<15	17	19	8,000	8,000	170,000	17,000	1,800*	
Benzo(k)fluoranthene	µg/kg	11	<11	76	17	312	<11	19	19	5,000	25,000	900*	8,000	2,100*	
Benzo(e)fluoranthene	µg/kg	11	<11	65	14	271	<11	15	15	49,000	250,000	9,000	78,000	2,100*	
Benzo(a)perylene	µg/kg	50	<50	<50	<50	176	<50	<50	<50	16,000,000	82,000,000	2,300,000	61,000,000	1,700	
Chrysene	µg/kg	50	<50	77	<50	253	<50	<50	<50	160,000	800,000	88,000	780,000	1,700	
Dibenz(a,h)anthracene	µg/kg	20	<20	<20	<20	51	<20	<20	<20	2,000	7,600	90*	17,000	2,700	
Fluoranthene	µg/kg	50	<50	189	<50	483	<50	<50	<50	4,100,000	21,000,000	3,100,000	82,000,000	4,100	
Fluorene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	560,000	2,800,000	2,800,000	82,000,000	420*	
Indeno(1,2,3-cd)pyrene	µg/kg	29	<29	51	<29	188	<29	<29	<29	14,000	69,000	900*	170,000	180	
Naphthalene	µg/kg	25	<25	<25	<25	<25	<25	<25	<25	12,000	18,000	1,600,000	41,000,000	1,600*	
Phenanthrene	µg/kg	50	<50	135	<50	180	<50	<50	<50	140,000	710,000	2,300,000	61,000,000	200	
Pyrene	µg/kg	50	<50	151	<50	429	<50	<50	<50	4,200,000	21,000,000	2,300,000	61,000,000	2,500	
Solids, Total (2540B)															
Date Analyzed:	Units	Rep. Limit	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	3/12/2015	
Total Solids	%	—	79.79	89.53	82.11	82.61	79.46	78.65	78.65	—	—	—	—	—	

* Pursuant to 35 IAC 742.415(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC the background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742. Appendix A, Table H

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample and

Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) are bolded.

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection	Time of Sample Collection	Environmental Laboratory Sample Number	IEPA TACO Tier 1 Soil Remediation Objectives												Metropolitan Statistical Area Background Concentration
			Soil Component of the Groundwater Ingestion Exposure Pathway						Inhalation Exposure Pathway						
			Class I		Class II		Residential	Commercial	Industrial	Construction	Residential	Commercial	Industrial	Construction	
Contaminants of Concern:															
BTEX Organic Compounds (5035A/R260B)															
Date Analyzed:	Units	Rep. Limit	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	
Benzene	µg/kg	5.0	<5.0	101	402	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Toluene	µg/kg	5.0	<5.0	7.5	<500	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Ethylbenzene	µg/kg	5.0	<5.0	126	<500	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Total Xylenes	µg/kg	5.0	<5.0	61.6	<500	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Polynuclear Aromatic Hydrocarbons (8270C)															
Date Analyzed:	Units	Rep. Limit	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	
Acenaphthylene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Acenaphthylene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Anthracene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Benzo(a)anthracene	µg/kg	8.7	<8.7	43.5	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	
Benzo(b)fluoranthene	µg/kg	15	<15	59	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	
Benzo(k)fluoranthene	µg/kg	11	<11	71	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	
Benzo(a)pyrene	µg/kg	11	<11	46	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	
Benzo(e)pyrene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Chrysene	µg/kg	50	<50	66	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Dibenz(a,h)anthracene	µg/kg	20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	
Fluoranthene	µg/kg	50	<50	87	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Fluorene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Indeno(1,2,3-cd)pyrene	µg/kg	29	<29	50	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	
Naphthalene	µg/kg	25	<25	423	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Phenanthrene	µg/kg	50	<50	93	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Pyrene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	
Solids, Total (2540B)															
Date Analyzed:	Units	Rep. Limit	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	3/10/2015	
Total Solids	%	---	80.28	80.63	81.84	76.64	92.44	---	---	---	---	---	---	---	

* Pursuant to 35 IAC 742-41.5(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC the background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742. Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "nd" is typically the laboratory reporting limit for that sample ana.

Note: Struck-through results indicate sample location removed during Corrective Action remediation (either re-used as backfill or transported for disposal).

Note: Analytical testing results for BTEX and PNAs are expressed in parts-per-billion (ppb) concentration.

Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) **in bold**.

EXHIBIT B-1

Summary of Analytical Results -- Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection	Time of Sample Collection	Environmental Laboratory Sample Number	IEPA TACO Tier 1 Soil Remediation Objectives												Metropolitan Statistical Area Background Concentration		
			Soil Component of the Groundwater Ingestion Exposure Pathway						Inhalation Exposure Pathway								
			Class I		Class II		Residential	Commercial/Industrial	Construction Worker	Residential	Commercial/Industrial	Construction Worker					
Date of Sample Collection			CS-7 8'	CS-8 8'	CS-9 -6'	CS-10 -5'	CS-11 -6'	CS-12 -13'									
Time of Sample Collection			2/2/2016	2/2/2016	2/2/2016	2/2/2016	2/2/2016	2/2/2016									
Environmental Laboratory Sample Number			16-0545-002	16-0545-003	16-0545-004	16-0545-005	16-0545-006	16-0545-007									
Contaminants of Concern:																	
BTEX Organic Compounds (5035A/8260B)																	
Date Analyzed:	Units	Rep. Limit	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016									
Benzene	µg/kg	5.0	2,220	223	<5.0	109	32.8	608	170	12,000	100,000	2,300,000	800	1,600	2,200	--	
Toluene	µg/kg	5.0	1,450	7.2	<5.0	<5.0	<5.0	500	12,000	16,000,000	410,000,000	410,000,000	650,000	650,000	42,000	--	
Ethylbenzene	µg/kg	5.0	49,400	303	20.6	4,940	3,960	23,700	13,000	7,800,000	200,000,000	20,000,000	400,000	400,000	58,000	--	
Total Xylenes	µg/kg	5.0	206,000	98.8	14.1	21,700	18,800	100,000	150,000	16,000,000	410,000,000	41,000,000	320,000	320,000	5,600	--	
Methyl-tert-butylether (MTBE)	µg/kg	5.0	<3.20	<5.0	<5.0	<3.20	<3.20	<3.20	320	780,000	20,000,000	2,000,000	8,800,000	8,800,000	140,000	--	
Polynuclear Aromatic Hydrocarbons (8270C)																	
Date Analyzed:	Units	Rep. Limit	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016									
Acenaphthene	µg/kg	50	152	<50	<50	<50	<50	216	570,000	2,900,000	120,000,000	120,000,000	--	--	--	130	
Acenaphthylene	µg/kg	50	<50	<50	<50	<50	<50	<50	43,000	215,000	61,000,000	61,000,000	--	--	--	70	
Anthracene	µg/kg	50	65	<50	<50	<50	<50	86	12,000,000	59,000,000	610,000,000	610,000,000	--	400	--	400	
Benzo(a)anthracene	µg/kg	8.7	8.9	<8.7	<8.7	<8.7	<8.7	13.0	2,000	8,000	8,000	170,000	--	--	--	1,800*	
Benzo(b)pyrene	µg/kg	15	<15	<15	<15	<15	<15	<15	8,000	82,000	800*	17,000	--	--	--	2,100*	
Benzo(k)fluoranthene	µg/kg	11	<11	<11	<11	<11	<11	<11	5,000	25,000	8,000	170,000	--	--	--	2,100*	
Benzo(e)fluoranthene	µg/kg	11	<11	<11	<11	<11	<11	<11	49,000	250,000	9,000	1,700,000	--	--	--	1,700	
Benzo(g,h)perylene	µg/kg	50	<50	<50	<50	<50	<50	<50	16,000,000	82,000,000	2,300,000	61,000,000	--	--	--	1,700	
Chrysene	µg/kg	50	<50	<50	<50	<50	<50	<50	160,000	800,000	88,000	17,000,000	--	--	--	2,700	
Dibenz(a,h)anthracene	µg/kg	20	<20	<20	<20	<20	<20	<20	2,000	7,600	800*	17,000	--	--	--	420*	
Fluoranthene	µg/kg	50	<50	<50	<50	<50	<50	<50	4,300,000	21,000,000	3,100,000	82,000,000	--	--	--	4,100	
Fluorene	µg/kg	50	182	<50	<50	<50	<50	275	560,000	2,800,000	82,000,000	82,000,000	--	--	--	180	
Indeno(1,2,3-cd)pyrene	µg/kg	29	<29	<29	<29	<29	<29	<29	14,000	69,000	900*	170,000	--	--	--	1,600*	
Naphthalene	µg/kg	25	10,200	135	168	1,940	2,470	12,900	12,000	18,000	1,600,000	4,100,000	170,000	270,000	1,800	200	
Phenanthrene	µg/kg	50	407	<50	53	<50	<50	554	140,000	710,000	2,300,000	61,000,000	--	--	--	2,500	
Pyrene	µg/kg	50	61	<50	<50	<50	<50	78	4,200,000	21,000,000	61,000,000	61,000,000	--	--	--	3,000	
Solids, Total (2540B)																	
Date Analyzed:	Units	Rep. Limit	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016									
Total Solids	%	--	88.64	82.73	82.92	77.01	78.12	89.35	--	--	--	--	--	--	--	--	--

* Pursuant to 35 IAC 742-415(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC the background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742, Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample ana.

Note: Analytical testing results for BTEX and PNAs are expressed in parts-per-billion (ppb) concentration. Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) in bold.

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection	Time of Sample Collection	Environmental Laboratory Sample Number	IEPA TACO Tier 1 Soil Remediation Objectives												Metropolitan Statistical Area Background Concentration		
			CS-13 -6'		CS-14 -6.5'		CS-15 -6.5'		CS-16 -6.5'		CS-17 -6.5'		CS-18 -6'				
			2/2/2016	2:30 PM	2/2/2016	8:00 AM	2/2/2016	8:30 AM	2/2/2016	9:30 AM	2/2/2016	10:00 AM	2/2/2016	10:15 AM			
Contaminants of Concern:																	
BTEX Organic Compounds (5035A/8260B)																	
Date Analyzed:	Units	Rep. Limit	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	
Benzene	µg/kg	5.0	28.2	1,630	187	747	126	162	12,000	100,000	2,300,000	2,300,000	800	1,600	2,200	---	
Toluene	µg/kg	5.0	<5.0	926	4,710	<500	2,570	2,440	16,000,000	410,000,000	410,000,000	410,000,000	650,000	650,000	42,000	---	
Ethylbenzene	µg/kg	5.0	101	8,750	19,000	2,380	2,940	2,940	7,800,000	200,000,000	20,000,000	20,000,000	400,000	400,000	58,000	---	
Total Xylenes	µg/kg	5.0	31.7	45,900	28,200	141,000	12,500	18,200	16,000,000	410,000,000	41,000,000	41,000,000	320,000	320,000	5,600	---	
Methyl-tert-butylether (MTBE)	µg/kg	5.0	<5.0	<320	<320	<320	<320	<320	780,000	20,000,000	2,000,000	2,000,000	8,800,000	8,800,000	140,000	---	
Polynuclear Aromatic Hydrocarbons (8270C)																	
Date Analyzed:	Units	Rep. Limit	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	
Acenaphthene	µg/kg	50	<50	<50	<50	<50	<50	<50	570,000	2,900,000	4,700,000	120,000,000	120,000,000	120,000,000	120,000,000	130	
Acenaphthylene	µg/kg	50	<50	<50	<50	<50	<50	<50	43,000	215,000	2,300,000	61,000,000	61,000,000	61,000,000	61,000,000	70	
Anthracene	µg/kg	50	<50	<50	<50	<50	<50	<50	12,000,000	59,000,000	23,000,000	610,000,000	610,000,000	610,000,000	610,000,000	400	
Benzo(a)anthracene	µg/kg	15	<15	<15	<15	<15	<15	<15	2,000	8,000	900*	8,000	8,000	170,000	1,800*	---	
Benzo(b)fluoranthene	µg/kg	11	<11	<11	<11	<11	<11	<11	8,000	82,000	90*	800*	800*	17,000	2,100*	---	
Benzo(k)fluoranthene	µg/kg	11	<11	<11	<11	<11	<11	<11	5,000	25,000	900*	8,000	8,000	170,000	1,800*	---	
Benzo(ghi)perylene	µg/kg	50	<50	<50	<50	<50	<50	<50	49,000	250,000	9,000	78,000	78,000	1,700,000	1,700	---	
Chrysene	µg/kg	50	<50	<50	<50	<50	<50	<50	16,000,000	82,000,000	2,300,000	61,000,000	61,000,000	61,000,000	61,000,000	1,700	
Dibenz(a,h)anthracene	µg/kg	20	<20	<20	<20	<20	<20	<20	160,000	800,000	88,000	780,000	780,000	17,000,000	17,000,000	2,700	
Fluoranthene	µg/kg	50	<50	<50	<50	<50	<50	<50	2,000	7,600	90*	800	800	17,000	1,700	---	
Fluorene	µg/kg	50	<50	<50	<50	<50	<50	<50	4,300,000	21,000,000	3,100,000	82,000,000	82,000,000	82,000,000	420*	---	
Indeno(1,2,3-cd)pyrene	µg/kg	29	<29	<29	<29	<29	<29	<29	560,000	2,800,000	3,100,000	82,000,000	82,000,000	82,000,000	4,100	---	
Naphthalene	µg/kg	25	163	1,500	1,140	1,930	774	1,600	14,000	69,000	900*	8,000	8,000	170,000	1,600*	---	
Phenanthrene	µg/kg	50	67	103	87	93	58	<50	12,000	18,000	1,600,000	41,000,000	41,000,000	270,000	1,800	---	
Pyrene	µg/kg	50	<50	<50	<50	<50	<50	<50	140,000	710,000	2,300,000	61,000,000	61,000,000	61,000,000	2,300	---	
Solids, Total (2540B)									4,200,000	21,000,000	2,300,000	61,000,000	61,000,000	61,000,000	61,000,000	3,000	
Date Analyzed:	Units	Rep. Limit	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	
Total Solids	%	---	84.07	74.49	77.90	76.44	76.21	77.85	---	---	---	---	---	---	---	---	---

* Pursuant to 35 IAC 742.415(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC the background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742, Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample ana.

Note: Analytical testing results for BTEX and PNAs are expressed in parts-per-billion (ppb) concentration; Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) in bold.

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection	Time of Sample Collection	Environmental Laboratory Sample Number	IEPA TACO Tier 1 Soil Remediation Objectives												Metropolitan Statistical Area Background Concentration			
			Soil Component of the Groundwater Ingestion Exposure Pathway						Inhalation Exposure Pathway									
			Class I			Class II			Residential			Commercial/Industrial				Construction Worker		
			CS-19 8'	CS-20 8'	SB-101 2-4'	SB-101 6-8'	SB-102 2-4'	SB-102 6-8'	CS-19 8'	CS-20 8'	SB-101 2-4'	SB-101 6-8'	SB-102 2-4'	SB-102 6-8'				
Contaminants of Concern:																		
BTEX Organic Compounds (5035A,8260B)																		
Date Analyzed:	Units	Rep. Limit	2/9/2016	2/9/2016	2/11/2016	2/11/2016	2/11/2016	2/11/2016	2/11/2016	2/11/2016	2/11/2016	2/11/2016	2/11/2016	2/11/2016	2/11/2016			
Benzene	µg/kg	5.0	496	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0			
Toluene	µg/kg	5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0			
Ethylbenzene	µg/kg	5.0	5,730	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0			
Total Xylenes	µg/kg	5.0	31,000	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0			
Methyl-tert-butylether (MTBE)	µg/kg	5.0	<320	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0			
Polynuclear Aromatic Hydrocarbons (8270C)																		
Date Analyzed:	Units	Rep. Limit	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016	2/9/2016			
Acenaphthene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50			
Acenaphthylene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50			
Anthracene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50			
Benzo(a)anthracene	µg/kg	8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7			
Benzo(a)pyrene	µg/kg	15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15			
Benzo(b)fluoranthene	µg/kg	11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11			
Benzo(k)fluoranthene	µg/kg	11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11			
Benzo(g)herylene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50			
Chrysene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50			
Dibenz(a,h)anthracene	µg/kg	20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20			
Fluoranthene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50			
Fluorene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50			
Indeno(1,2,3-cd)pyrene	µg/kg	29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29			
Naphthalene	µg/kg	25	1,400	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25			
Phenanthrene	µg/kg	50	93	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50			
Pyrene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50			
Solids, Total (2540B)																		
Date Analyzed:	Units	Rep. Limit	2/5/2016	2/5/2016	2/5/2016	2/5/2016	2/5/2016	2/5/2016	2/5/2016	2/5/2016	2/5/2016	2/5/2016	2/5/2016	2/5/2016	2/5/2016			
Total Solids	%	---	74.89	75.06	78.51	86.56	76.55	80.53	---	---	---	---	---	---	---			

* Pursuant to 35 IAC 742.415(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742. Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample and Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) **in bold**.

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection: Time of Sample Collection: Environmental Laboratory Sample Number: Contaminants of Concern:	CS-21 13' 2/4/2016 12:45 PM 16-0565-001	CS-22 13' 2/4/2016 1:15 PM 16-0565-002	CS-23 13' 2/4/2016 1:40 PM 16-0565-003	CS-24 13' 2/8/2016 1:30 PM 16-0698-001	CS-25 13' 2/8/2016 2:30 PM 16-0698-002	CS-26 13' 2/8/2016 3:15 PM 16-0698-003	IEPA TACO Tier 1 Soil Remediation Objectives															
							Soil Component of the Groundwater Ingestion Exposure Pathway						Inhalation Exposure Pathway									
							Class I			Class II			Residential		Commercial		Construction Worker		Industrial		Construction Worker	
							Units	Rep. Limit	2/1/2016	2/1/2016	2/1/2016	2/1/2016	2/1/2016	2/1/2016	2/1/2016	2/1/2016	2/1/2016	2/1/2016	2/1/2016	2/1/2016	2/1/2016	2/1/2016
BTEX Organic Compounds (5035A/8260B)																						
Benzene	µg/kg	5.0	<5.0	8.0	237	<5.0	<5.0	<5.0	<5.0	158	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0						
Toluene	µg/kg	5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	8.4	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0						
Ethylbenzene	µg/kg	5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	8.5	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0						
Total Xylenes	µg/kg	5.0	<5.0	7.7	<5.0	<5.0	<5.0	<5.0	19.6	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0						
Methyl-tert-butylether (MTBE)	µg/kg	5.0	<5.0	<5.0	<320	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0						
Polynuclear Aromatic Hydrocarbons (8270C)																						
Date Analyzed:																						
Acenaphthene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50						
Acenaphthylene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50						
Anthracene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50						
Benzo(a)anthracene	µg/kg	8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7						
Benzo(a)pyrene	µg/kg	15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15	<15						
Benzo(b)fluoranthene	µg/kg	11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11						
Benzo(k)fluoranthene	µg/kg	11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11	<11						
Benzo(ghi)perylene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50						
Chrysene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50						
Dibenz(a,h)anthracene	µg/kg	20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20						
Fluoranthene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50						
Fluorene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50						
Indeno(1,2,3-cd)pyrene	µg/kg	29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29	<29						
Naphthalene	µg/kg	25	<25	<25	188	<25	<25	<25	158	<25	<25	<25	<25	<25	<25	<25						
Phenanthrene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50						
Pyrene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50						
Solids, Total (2540B)																						
Date Analyzed:	Units	Rep. Limit	2/5/2016	2/5/2016	2/5/2016	2/12/2016	2/12/2016	2/12/2016	2/12/2016	2/12/2016	2/12/2016	2/12/2016	2/12/2016	2/12/2016	2/12/2016	2/12/2016						
Total Solids	%	---	76.81	79.27	86.08	85.70	87.11	87.86	---	---	---	---	---	---	---	---						

* Pursuant to 35 IAC 742.415(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742. Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample and/or analyte.

Note: Analytical testing results for BTEX and PNAs are expressed in parts-per-billion (ppb) concentration; PNAs are expressed in parts-per-billion (ppb) concentration; and PNAs are expressed in parts-per-billion (ppb) concentration.

Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) are bolded.

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection	Time of Sample Collection	Environmental Laboratory Sample Number	IEPA TACO Tier 1 Soil Remediation Objectives												Metropolitan Statistical Area Background Concentration							
			CS-27 13'			CS-28 13'			CS-29 13'			CS-30 ~9'				CS-31 ~9'			CS-32 ~3'			
			2/9/2016			2/9/2016			2/9/2016			2/9/2016				2/9/2016			2/12/2016			
			9:00 AM			10:15 AM			11:45 AM			2:00 PM				2:40 PM			9:45 AM			
Contaminants of Concern:																						
BTEX Organic Compounds (5035A/8260B)																						
Date Analyzed:																						
Benzene	µg/kg	5.0	<5.0	<5.0	<5.0	71.7	<5.0	119	<5.0	<5.0	<5.0	12,000	100,000	2,300,000	410,000,000	2,000,000	2,000,000	8,800,000	8,800,000	140,000	---	
Toluene	µg/kg	5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	12,000	100,000	2,300,000	410,000,000	2,000,000	2,000,000	8,800,000	8,800,000	140,000	---	
Ethylbenzene	µg/kg	5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	12,000	100,000	2,300,000	410,000,000	2,000,000	2,000,000	8,800,000	8,800,000	140,000	---	
Total Xylenes	µg/kg	5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	13,000	19,000	7,800,000	200,000,000	20,000,000	400,000	400,000	400,000	58,000	---	
Methyl-ter-butylether (MTBE)	µg/kg	5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	150,000	150,000	16,000,000	410,000,000	41,000,000	320,000	320,000	320,000	5,600	---	
Polynuclear Aromatic Hydrocarbons (8270C)																						
Date Analyzed:																						
Acenaphthene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	570,000	2,900,000	4,700,000	120,000,000	120,000,000	120,000,000	120,000,000	120,000,000	120,000,000	130	
Acenaphthylene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	43,000	215,000	2,300,000	61,000,000	61,000,000	61,000,000	61,000,000	61,000,000	61,000,000	70	
Anthracene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	12,000,000	59,000,000	23,000,000	610,000,000	610,000,000	610,000,000	610,000,000	610,000,000	610,000,000	400	
Benzo(a)anthracene	µg/kg	8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	<8.7	2,000	8,000	900*	8,000	170,000	170,000	170,000	170,000	170,000	1,800*	
Benzo(b)pyrene	µg/kg	15	<15	<15	<15	<15	<15	<15	<15	<15	<15	8,000	82,000	800*	8,000	170,000	170,000	170,000	170,000	170,000	2,100*	
Benzo(k)fluoranthene	µg/kg	11	<11	<11	<11	<11	<11	<11	<11	<11	<11	5,000	25,000	900*	8,000	170,000	170,000	170,000	170,000	170,000	2,100*	
Benzo(e)fluoranthene	µg/kg	11	<11	<11	<11	<11	<11	<11	<11	<11	<11	49,000	250,000	9,000	78,000	1,700,000	1,700,000	1,700,000	1,700,000	1,700,000	1,700	
Benzo(a,h)perylene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	16,000,000	82,000,000	2,300,000	61,000,000	61,000,000	61,000,000	61,000,000	61,000,000	61,000,000	1,700	
Chrysene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	160,000	800,000	88,000	780,000	780,000	780,000	780,000	780,000	780,000	2,700	
Dibenz(a,h)anthracene	µg/kg	20	<20	<20	<20	<20	<20	<20	<20	<20	<20	2,000	7,600	90*	800	17,000	17,000	17,000	17,000	17,000	420*	
Fluoranthene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	4,300,000	21,000,000	3,100,000	82,000,000	82,000,000	82,000,000	82,000,000	82,000,000	82,000,000	4,100	
Fluorene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	560,000	2,800,000	3,100,000	82,000,000	82,000,000	82,000,000	82,000,000	82,000,000	82,000,000	180	
Indeno(1,2,3-cd)pyrene	µg/kg	29	<29	<29	<29	<29	<29	<29	<29	<29	<29	14,000	69,000	900*	8,000	170,000	170,000	170,000	170,000	170,000	1,600*	
Naphthalene	µg/kg	25	<25	<25	<25	<25	<25	<25	<25	<25	<25	12,000	18,000	1,600,000	41,000,000	4,100,000	170,000	170,000	270,000	1,800	200	
Phenanthrene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	140,000	710,000	2,300,000	61,000,000	61,000,000	61,000,000	61,000,000	61,000,000	61,000,000	2,500	
Pyrene	µg/kg	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	4,200,000	21,000,000	2,300,000	61,000,000	61,000,000	61,000,000	61,000,000	61,000,000	61,000,000	3,000	
Solids, Total (2540B)																						
Date Analyzed:																						
Total Solids	%	---	85.40	84.43	84.97	82.75	82.23	82.23	82.23	82.23	82.23	73.96	---	---	---	---	---	---	---	---	---	---

* Pursuant to 35 IAC 742-41.5(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC the background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742 Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample ana.

Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) in bold.

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection	Time of Sample Collection	Environmental Laboratory Sample Number	IEPA TACO Tier 1 Soil Remediation Objectives										Metropolitan Statistical Area Background Concentration			
			Soil Component of the Groundwater Ingestion Exposure Pathway					Inhalation Exposure Pathway								
			Class I		Class II			Residential	Commercial/Industrial	Construction Worker	Residential	Commercial/Industrial		Construction Worker		
			CS-33 -3'	CS-34 -3'	CS-35 -3'	CS-36 -3'	CS-37 13'	CS-38 13'	2/12/2016	2/12/2016	2/12/2016	2/12/2016		2/12/2016	2/12/2016	
Contaminants of Concern:																
BTEX Organic Compounds (5035A.8260B)																
Date Analyzed:	Units	Rep. Limit	2/22/2016	2/22/2016	2/24/2016	2/24/2016	2/24/2016	2/24/2016	2/24/2016	2/24/2016	2/24/2016	2/24/2016				
Benzene	µg/kg	5.0	<5.0	26.0	47.4	23.2	248	5,760	170	12,000	100,000	2,300,000	800	1,600	2,200	
Toluene	µg/kg	5.0	<5.0	<5.0	32,500	90,500	16,000,000	410,000,000	29,000	16,000,000	410,000,000	410,000,000	650,000	650,000	42,000	
Ethylbenzene	µg/kg	5.0	<5.0	60.6	67,100	95,800	7,800,000	200,000,000	13,000	7,800,000	200,000,000	20,000,000	400,000	400,000	58,000	
Total Xylenes	µg/kg	5.0	<5.0	81.2	13.1	332,000	16,000,000	410,000,000	150,000	16,000,000	410,000,000	41,000,000	320,000	320,000	5,600	
Methyl-tert-butylether (MTBE)	µg/kg	5.0	<5.0				780,000	20,000,000	320	780,000	20,000,000	2,000,000	8,800,000	8,800,000	140,000	
Polynuclear Aromatic Hydrocarbons (8270C)																
Date Analyzed:	Units	Rep. Limit	2/22/2016	2/22/2016	2/22/2016	2/22/2016	2/22/2016	2/22/2016	2/22/2016	2/22/2016	2/22/2016	2/22/2016	2/22/2016	2/22/2016	2/22/2016	2/22/2016
Acenaphthene	µg/kg	50	<50	<50	134	196	4,700,000	120,000,000	570,000	2,900,000	4,700,000	120,000,000	120,000,000	120,000,000	130	
Acenaphthylene	µg/kg	50	<50	<50	<50	<50	43,000	215,000	43,000	215,000	61,000,000	61,000,000	61,000,000	61,000,000	70	
Anthracene	µg/kg	50	<50	<50	<50	74	12,000,000	59,000,000	23,000,000	23,000,000	610,000,000	610,000,000	610,000,000	610,000,000	400	
Benzo(a)anthracene	µg/kg	8.7	<8.7	<8.7	12.3	15.5	900*	8,000	8,000	900*	8,000	170,000	170,000	170,000	1,800*	
Benzo(a)pyrene	µg/kg	15	<15	<15	<15	<15	8,000	82,000	8,000	82,000	800*	17,000	17,000	17,000	2,100*	
Benzo(k)fluoranthene	µg/kg	11	<11	<11	<11	<11	5,000	25,000	5,000	25,000	8,000	170,000	170,000	170,000	2,100*	
Benzo(e)fluoranthene	µg/kg	50	<50	<50	<50	<50	16,000,000	82,000,000	16,000,000	82,000,000	61,000,000	61,000,000	61,000,000	61,000,000	1,700	
Chrysene	µg/kg	50	<50	<50	<50	<50	160,000	800,000	160,000	800,000	780,000	17,000,000	17,000,000	17,000,000	2,700	
Dibenzof(a,h)anthracene	µg/kg	20	<20	<20	<20	<20	2,000	7,600	2,000	7,600	800	17,000	17,000	17,000	420*	
Fluoranthene	µg/kg	50	<50	<50	<50	<50	4,300,000	21,000,000	4,300,000	21,000,000	3,100,000	82,000,000	82,000,000	82,000,000	4,100	
Fluorene	µg/kg	50	<50	<50	<50	<50	560,000	2,800,000	560,000	2,800,000	3,100,000	82,000,000	82,000,000	82,000,000	180	
Indeno(1,2,3-cd)pyrene	µg/kg	25	<25	<25	<25	<25	14,000	69,000	14,000	69,000	900*	170,000	170,000	170,000	1,600*	
Naphthalene	µg/kg	25	<25	38	41	30	24,100	42,900	12,000	18,000	1,600,000	4,100,000	4,100,000	4,100,000	200	
Phenanthrene	µg/kg	50	<50	<50	<50	<50	140,000	710,000	140,000	710,000	2,300,000	61,000,000	61,000,000	61,000,000	2,500	
Pyrene	µg/kg	50	<50	<50	<50	<50	4,200,000	21,000,000	4,200,000	21,000,000	2,300,000	61,000,000	61,000,000	61,000,000	3,000	
Solids, Total (2540B)																
Date Analyzed:	Units	Rep. Limit	2/18/2016	2/18/2016	2/18/2016	2/18/2016	2/18/2016	2/18/2016	2/18/2016	2/18/2016	2/18/2016	2/18/2016	2/18/2016	2/18/2016	2/18/2016	2/18/2016
Total Solids	%	—	74.25	76.97	77.56	83.39	78.57	78.57	—	—	—	—	—	—	—	—

* Pursuant to 35 IAC 742-4.15(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC, the background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742 Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample and.

Note: Analytical testing results for BTEX and PNAs are expressed in parts-per-billion (ppb) concentration; for MTBE and PNAs background concentrations are expressed in parts-per-billion (ppb) concentration; for PNA background concentrations are expressed in parts-per-billion (ppb) concentration.

Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) are bolded.

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection	SB-100A 2'-4'	SB-100R A 2'-4'	SB-100B 8'-10'	SB-100R B 8'-9'	IEPA TACO Tier 1 Soil Remediation Objectives										Metropolitan Statistical Area Background Concentration
					Soil Component of the Groundwater Ingestion Exposure Pathway		Inhalation Exposure Pathway			Ingestion Exposure Pathway					
					Class I	Class II	Residential	Commercial	Industrial	Construction Worker	Residential	Commercial	Industrial	Construction Worker	
Contaminants of Concern:															
BTEX Organic Compounds (5035A/8260B)															
Benzene	7/12/2017	7/12/2017	7/12/2017	7/12/2017	30	170	12,000	100,000	2,300,000	800	1,600	2,300,000	2,300,000	2,200	---
Toluene	<4.70	<4.70	<4.25	<4.25	12,000	29,000	16,000,000	410,000,000	410,000,000	650,000	650,000	410,000,000	410,000,000	42,000	---
Ethylbenzene	<4.70	<4.70	<4.25	<4.25	13,000	19,000	7,800,000	200,000,000	20,000,000	400,000	400,000	20,000,000	20,000,000	58,000	---
Total Xylenes	<14.1	<14.1	<12.7	<12.7	150,000	150,000	16,000,000	410,000,000	41,000,000	320,000	320,000	41,000,000	41,000,000	5,600	---
Methyl-tert-butyl-ether (MTBE)	<4.70	<4.70	<4.25	<4.25	320	320	780,000	20,000,000	2,000,000	8,800,000	8,800,000	2,000,000	2,000,000	140,000	---
Polynuclear Aromatic Hydrocarbons (8270C)															
Acenaphthene	5/4/2019	5/4/2019	5/4/2019	5/4/2019	570,000	2,900,000	4,700,000	120,000,000	120,000,000	---	---	120,000,000	120,000,000	---	130
Acenaphthylene	<396	<396	<400	<400	43,000	215,000	2,300,000	61,000,000	61,000,000	---	---	61,000,000	61,000,000	---	70
Anthracene	<396	<396	<400	<400	12,000,000	59,000,000	23,000,000	610,000,000	610,000,000	---	---	610,000,000	610,000,000	---	400
Benzo(a)anthracene	<396	<396	<400	<400	2,000	8,000	900*	8,000	170,000	---	---	170,000	170,000	---	1,800*
Benzo(b)pyrene	<79.1	<79.1	<80.0	<80.0	8,000	82,000	90*	800*	17,000	---	---	17,000	17,000	---	2,100*
Benzo(k)fluoranthene	<396	<396	<400	<400	5,000	25,000	900*	8,000	170,000	---	---	170,000	170,000	---	2,100*
Benzo(a)fluoranthene	<396	<396	<400	<400	49,000	250,000	9,000	78,000	1,700,000	---	---	1,700,000	1,700,000	---	1,700
Benzo(g,h)perylene	<396	<396	<400	<400	16,000,000	82,000,000	2,300,000	61,000,000	61,000,000	---	---	61,000,000	61,000,000	---	1,700
Chrysene	<396	<396	<400	<400	160,000	800,000	88,000	780,000	17,000,000	---	---	17,000,000	17,000,000	---	2,700
Dibenz(a,h)anthracene	<79.1	<79.1	<80.0	<80.0	2,000	7,600	90*	800	17,000	---	---	17,000	17,000	---	420*
Fluoranthene	<396	<396	<400	<400	4,300,000	21,000,000	3,100,000	82,000,000	82,000,000	---	---	82,000,000	82,000,000	---	4,100
Fluorene	<396	<396	<400	<400	560,000	2,800,000	3,100,000	82,000,000	82,000,000	---	---	82,000,000	82,000,000	---	180
Indeno(1,2,3-cd)pyrene	<396	<396	<400	<400	14,000	69,000	900*	8,000	170,000	---	---	170,000	170,000	---	1,600*
Naphthalene	<396	<396	<400	<400	12,000	18,000	1,600,000	41,000,000	4,100,000	170,000	270,000	4,100,000	4,100,000	1,800	---
Phenanthrene	<396	<396	<400	<400	140,000	710,000	2,300,000	61,000,000	61,000,000	---	---	61,000,000	61,000,000	1,800	---
Pyrene	<396	<396	<400	<400	4,200,000	21,000,000	2,300,000	61,000,000	61,000,000	---	---	61,000,000	61,000,000	---	2,500
Solids, Percent (D2974)															3,000
Date Analyzed:															
Units	7/12/2017	7/12/2017	7/12/2017	7/12/2017	5/4/2019	5/4/2019	5/4/2019	5/4/2019	5/4/2019	---	---	---	---	---	---
Rep. Limit	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Percent Solids	77.1	76	87.2	75.00	---	---	---	---	---	---	---	---	---	---	---

* Pursuant to 35 IAC 742.415(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742. Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample and Note: Analytical testing results for BTEX and PNAs are expressed in parts-per-billion (ppb) concentration.

Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) in bold.

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection	SB-101A 2'-4'	SB-101A 2'-4'	SB-101B 8'-10'	SB-101B 8'-10'	SB-101R B 8'-10'	IEPA TACO Tier 1 Soil Remediation Objectives												Metropolitan Statistical Area Background Concentration						
						Soil Component of the Groundwater Ingestion Exposure Pathway						Inhalation Exposure Pathway												
						Class I			Class II			Residential		Commercial/ Industrial		Construction Worker			Residential		Commercial/ Industrial		Construction Worker	
						30	12,000	170	12,000	100,000	2,300,000	800	1,600	2,200	12,000	100,000	2,300,000		800	1,600	2,200	12,000	100,000	2,300,000
Contaminants of Concern:																								
BTEX Organic Compounds (5035A/R260B)																								
Date Analyzed:																								
Benzene	µg/kg	Varies**	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11					
Toluene	µg/kg	Varies**	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79					
Ethylbenzene	µg/kg	Varies**	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11	<5.11					
Total Xylenes	µg/kg	Varies**	<14.4	<14.4	<14.4	<14.4	<14.4	<14.4	<14.4	<14.4	<14.4	<14.4	<14.4	<14.4	<14.4	<14.4	<14.4	<14.4	<14.4					
Methyl-tert-butylether (MTBE)	µg/kg	Varies**	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79	<4.79					
Polynuclear Aromatic Hydrocarbons (8270C)																								
Date Analyzed:																								
Acenaphthene	µg/kg	Varies**	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390					
Acenaphthylene	µg/kg	Varies**	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378					
Anthracene	µg/kg	Varies**	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390					
Benzo(a)anthracene	µg/kg	Varies**	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0					
Benzo(a)pyrene	µg/kg	Varies**	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378					
Benzo(b)fluoranthene	µg/kg	Varies**	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390					
Benzo(k)fluoranthene	µg/kg	Varies**	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390					
Chrysene	µg/kg	Varies**	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390					
Dibenz(a,h)anthracene	µg/kg	Varies**	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0	<78.0					
Fluoranthene	µg/kg	Varies**	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390					
Fluorene	µg/kg	Varies**	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390					
Indeno(1,2,3-cd)pyrene	µg/kg	Varies**	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378					
Naphthalene	µg/kg	Varies**	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390					
Phenanthrene	µg/kg	Varies**	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390	<390					
Pyrene	µg/kg	Varies**	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378	<378					
Solids, Percent (D2974)																								
Date Analyzed:																								
Percent Solids	%	77.6	77	75.7	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79					

* Pursuant to 35 IAC 742-41.5(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent IEPA TACO Tier 1 SRC the background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742. Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample ma

Note: Analytical testing results for BTEX and PNAs are expressed in parts-per-billion (ppb) concentration

Note: Exceedences of the IEPA TACO Tier 1 SROs (or PNA background concentrations) bold

EXHIBIT B-1

Summary of Analytical Results – Soil Sample Comparison to Tier 1 SROs

Date of Sample Collection	Date of Sample Collection	Date of Sample Collection	Date of Sample Collection	Date of Sample Collection	Soil Remediation Objectives												Metropolitan Statistical Area Background Concentration
					Soil Component of the Groundwater Ingestion Exposure Pathway				Ingestion Exposure Pathway				Inhalation Exposure Pathway				
					Class I	Class II	Residential	Commercial/Industrial	Residential	Commercial/Industrial	Construction Worker	Residential	Commercial/Industrial	Construction Worker			
BIO-1 10'-11'	BIO-2 9.5'-10.5'	BIO-3 10'-11'	BIO-4 9.5'-10.5'	MW-102 12'-13'													
8/8/2018	8/8/2018	8/8/2018	8/8/2018	8/8/2018													
10:00 AM	10:35 AM	11:10 AM	12:20 PM	12:55 PM													
18H0194-01	18H0194-02	18H0194-03	18H0194-04	18H0194-05													
Environmental Laboratory Sample Number																	
Time of Sample Collection																	
Date of Sample Collection																	
Units																	
Rep. Limit																	
Date Analyzed:																	
Benzene																	
Toluene																	
Ethylbenzene																	
Total Xylenes																	
Polynuclear Aromatic Hydrocarbons (Σ27OC)																	
Date Analyzed:																	
Acenaphthene																	
Acenaphthylene																	
Anthracene																	
Benzo(a)pyrene																	
Benzo(b)fluoranthene																	
Benzo(k)fluoranthene																	
Benzo(ghi)perylene																	
Chrysene																	
Dibenz(a,h)anthracene																	
Fluoranthene																	
Fluorene																	
Indeno(1,2,3-cd)pyrene																	
Naphthalene																	
Phenanthrene																	
Pyrene																	
Solids, Percent (D2974)																	
Date Analyzed:																	
Total Solids																	

* Pursuant to 35 IAC 742.415(b)(2), for those PNA compounds whose background concentrations (within Metropolitan Statistical Areas) exceed the most stringent LEPA TACO Tier 1 SRC the background concentration shall be used as the Tier 1 Soil Ingestion Remediation Objective as promulgated in 35 IAC 742 Appendix A, Table H.

** Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample and Note: Analytical testing results for BTEX and PNAs are expressed in parts-per-billion (ppb) concentration.

Note: Exceedences of the LEPA TACO Tier 1 SROs (or PNA background concentrations) **bold**.

EXHIBIT B2-A
Summary of Analytical Results - Groundwater BTEX

Sample ID	Date Collected	Benzene	Toluene	Ethylbenzene	Total Xylenes
MW-1	07/11/2011	664 ^{1,2,3,4,5}	55.3	738 ^{1,3}	472
MW-2	07/11/2011	< 1.0	< 1.0	< 1.0	< 3.0
	04/23/2015	< 5.0	< 5.0	< 5.0	< 5.0
	07/26/2017	< 5.00	< 5.00	< 5.00	< 15.0
MW-3	07/11/2011	< 1.0	< 1.0	< 1.0	< 3.0
	04/23/2015	< 5.0	< 5.0	< 5.0	< 5.0
	07/26/2017	< 5.00	< 5.00	< 5.00	< 15.0
MW-4	07/11/2011	1,060 ^{1,2,3,4,5}	101	1,360 ^{1,2,3,5}	1,780
MW-4R	04/23/2015	896 ^{1,2,3,4,5}	66.9	2,240 ^{1,2,3,4,5}	1,020
	07/26/2017	764 ^{1,2,3,4,5}	77.7	1,680 ^{1,2,3,4,5}	3,490
	08/20/2018	693 ^{1,2,3,4,5}	56.1	1,940 ^{1,2,3,4,5}	1,830
MW-5	04/23/2015	< 5.0	< 5.0	< 5.0	< 5.0
	07/26/2017	< 5.00	< 5.00	< 5.00	< 15.0
MW-6	07/11/2011	< 1.0	< 1.0	< 1.0	< 3.0
	04/23/2015	< 5.0	< 5.0	< 5.0	< 5.0
	07/26/2017	< 5.00	< 5.00	< 5.00	< 15.0
MW-7	04/23/2015	14,500 ^{1,2,3,4,5,6}	24,300 ^{1,2}	3,680 ^{1,2,3,4,5}	16,700 ^{1,2}
	07/26/2017	19,200 ^{1,2,3,4,5,6}	26,200 ^{1,2}	4,290 ^{1,2,3,4,5}	20,600 ^{1,2}
MW-9	04/23/2015	< 5.0	< 5.0	< 5.0	< 5.0
	07/26/2017	< 5.00	< 5.00	< 5.00	< 15.0
MW-10	04/23/2015	126 ^{1,2,3}	< 5.0	< 5.0	< 5.0
	07/26/2017	81.0 ^{1,2}	< 5.00	< 5.00	< 15.0
	08/20/2018	142 ^{1,2,3}	< 5.00	< 5.00	< 15.0
MW-11	04/23/2015	< 5.0	< 5.0	< 5.0	< 5.0
	07/26/2017	< 5.00	< 5.00	< 5.00	< 15.0
MW-12	04/23/2015	307 ^{1,2,3}	189	220	977
	07/26/2017	421 ^{1,2,3,4,5}	40.8	177	478
	08/20/2018	14.2 ¹	< 5.00	6.06	< 15.0
IEPA TACO Tier 1 GROs Groundwater Component of Groundwater Ingestion ER	Class I	5.0	1,000	700	10,000
	Class II	25	2,500	1,000	10,000
IEPA TACO Tier 1 GROs Table H - Diffusion & Advection Indoor Inhalation ER	Residential	110	530,000	370	30,000
	Industrial/ Commercial	410	530,000	1,400	93,000
IEPA TACO Tier 1 GROs Table I - Diffusion Only Indoor Inhalation ER	Residential	410	530,000	1,300	96,000
	Industrial/ Commercial	2,600	530,000	8,100	110,000

Note: Analytical testing results for BTEX are expressed in parts-per-billion (ppb) concentrations.

Note: Exceedences of the most stringent IEPA TACO Tier 1 GROs in **bold**.

Note: Exceedences of the IEPA TACO Indoor Inhalation GROs in **bold** and shading.

Note: Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample analyte.

Superscripts:

1-Class I GRO exceeded

2-Class II GRO exceeded

3-Table H Residential Indoor Inhalation GRO exceeded

4-Table H Industrial/Commercial Indoor Inhalation GRO exceeded

5-Table I Residential Indoor Inhalation GRO exceeded

6-Table I Industrial/Commercial Indoor Inhalation GRO exceeded

EXHIBIT B2-A
Summary of Analytical Results - Groundwater BTEX

Sample ID	Date Collected	Benzene	Toluene	Ethylbenzene	Total Xylenes
MW-13	04/23/2015	10,200 ^{1,2,3,4,5,6}	9,900 ^{1,2}	2,530 ^{1,2,3,4,5}	10,200 ^{1,2}
	07/26/2017	8,980 ^{1,2,3,4,5,6}	6,530 ^{1,2}	2,450 ^{1,2,3,4,5}	9,670
	08/20/2018	4,310 ^{1,2,3,4,5,6}	2,030 ¹	1,930 ^{1,2,3,4,5}	3,090
MW-14	04/23/2015	386 ^{1,2,3}	27.4	315	1,250
	07/26/2017	337 ^{1,2,3}	17.2	263	808
MW-15	04/23/2015	< 5.0	< 5.0	< 5.0	< 5.0
MW-100 (from temp well)	07/06/2017	940 ^{1,2,3,4,5}	255	1,140 ^{1,2,3}	819
MW-100	04/29/2020	530 ^{1,2,3,4,5}	80.0	629 ³	525
MW-101 (from temp well)	07/06/2017	< 5.00	< 5.00	5.44	< 150
MW-101	04/29/2020	< 5.00	< 5.00	< 5.00	< 15.0
MW-102	09/28/2018	< 5.00	< 5.00	< 5.00	< 15.0
MW-103	08/20/2018	< 5.00	< 5.00	< 5.00	< 15.0
IEPA TACO Tier 1 GROs Groundwater Component of Groundwater Ingestion ER	Class I	5.0	1,000	700	10,000
	Class II	25	2,500	1,000	10,000
IEPA TACO Tier 1 GROs Table H - Diffusion & Advection Indoor Inhalation ER	Residential	110	530,000	370	30,000
	Industrial/ Commercial	410	530,000	1,400	93,000
IEPA TACO Tier 1 GROs Table I - Diffusion Only Indoor Inhalation ER	Residential	410	530,000	1,300	96,000
	Industrial/ Commercial	2,600	530,000	8,100	110,000

Note: Analytical testing results for BTEX are expressed in parts-per-billion (ppb) concentrations.

Note: Exceedences of the most stringent IEPA TACO Tier 1 GROs in **bold**.

Note: Exceedences of the IEPA TACO Indoor Inhalation GROs **inbold** and shading.

Note: Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample analyte.

Superscripts:

1-Class I GRO exceeded

2-Class II GRO exceeded

3-Table H Residential Indoor Inhalation GRO exceeded

4-Table H Industrial/Commercial Indoor Inhalation GRO exceeded

5-Table I Residential Indoor Inhalation GRO exceeded

6-Table I Industrial/Commercial Indoor Inhalation GRO exceeded

EXHIBIT B2-B

Summary of Analytical Results - Groundwater PNAs

Sample ID	Date Collected	Acenaphthene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)-anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)-pyrene	Naphthalene	Pyrene
MW-1	07/11/11	< 2.4	< 2.4	< 2.4	< 2.4	< 2.4	< 2.4	< 2.4	< 2.4	< 2.4	< 2.4	< 2.4	< 16.5	< 2.4
MW-2	07/11/11	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047	0.12	< 0.047
	04/23/15	< 10	< 5	< 0.13	< 0.2	< 0.18	< 0.17	< 1.5	< 0.3	< 2	< 2	< 0.3	< 10	< 2
	07/26/17	< 0.505	< 0.505	< 0.119	< 0.104	< 0.129	< 0.124	< 0.505	< 0.283	< 0.505	< 0.505	< 0.404	< 0.505	< 0.505
MW-3	07/11/11	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047	< 0.047
	04/23/15	< 10	< 5	< 0.13	< 0.2	< 0.18	< 0.17	< 1.5	< 0.3	< 2	< 2	< 0.3	< 10	< 2
	07/26/17	< 0.500	< 0.500	< 0.118	< 0.103	< 0.128	< 0.123	< 0.500	< 0.280	< 0.500	< 0.500	< 0.400	< 0.520	< 0.500
MW-4	07/11/11	< 47.2	< 47.2	< 47.2	< 47.2	< 47.2	< 47.2	< 47.2	< 47.2	< 47.2	< 47.2	< 47.2	296	< 47.2
	04/23/15	< 10	< 5	< 0.13	< 0.2	< 0.18	< 0.17	< 1.5	< 0.30	< 2	< 2	< 0.3	123	< 2
	07/26/17	< 0.500	13.8	< 0.118	< 0.103	< 0.128	< 0.123	< 0.500	< 0.280	< 0.500	< 0.500	< 0.400	229	< 0.500
MW-4R	08/20/18	5.59	< 0.505	< 0.119	< 0.104	< 0.129	< 0.124	< 0.505	< 0.293	< 0.505	< 0.505	< 0.424	1,650	< 0.505
MW-5	04/23/15	< 10	< 5	< 0.13	< 0.2	< 0.18	< 0.17	< 1.5	< 0.3	< 2	< 2	< 0.3	337	< 0.505
	07/26/17	< 0.510	< 0.510	< 0.121	< 0.105	< 0.130	< 0.125	< 0.510	< 0.286	< 0.510	< 0.510	< 0.408	10	< 0.510
MW-6*	07/11/11	< 0.047	0.063	0.31	0.33	0.35	0.30	0.33	0.078	0.49	0.047	0.19	0.075	0.44
	04/23/15	< 10	< 5	< 0.13	< 0.2	< 0.18	< 0.17	< 1.5	< 0.3	< 2	< 2	< 0.3	< 10	< 2
	7/26/2017*	< 0.505	< 0.505	0.757	3.08	3.18	2.69	1.08	< 0.283	1.65	< 0.505	< 0.404	0.575	< 1.62
MW-7	04/23/15	< 10	< 5	0.18	< 0.2	< 0.18	< 0.17	< 1.5	< 0.3	< 2	< 2	< 0.3	472	< 2
	07/26/17	8.71	< 0.510	< 0.121	< 0.105	< 0.130	< 0.125	< 0.510	< 0.286	< 0.510	< 0.510	< 0.408	1,500	< 0.510
MW-9	04/23/15	< 10	< 5	< 0.13	< 0.2	< 0.18	< 0.17	< 1.5	< 0.3	< 2	< 2	< 0.3	< 10	< 2
	07/26/17	< 0.505	< 0.505	< 0.119	< 0.104	< 0.129	< 0.124	< 0.505	< 0.283	< 0.505	< 0.505	< 0.404	2.42	< 0.505
IEPA TACO Tier 1 GROs	Class I	420	2,100	0.13	0.20	0.18	0.17	1.5	0.3	280	280	0.43	140	210
Groundwater Component of Groundwater Ingestion ER	Class II	2,100	10,500	0.65	2.00	0.90	0.85	7.5	1.5	1,400	1,400	2.15	220	1,050
IEPA TACO Tier 1 GROs Table H - Diffusion & Advective Indoor Inhalation ER	Residential	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	75	NA
	Indust/Com	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	320	NA
IEPA TACO Tier 1 GROs Table I - Diffusion Only Indoor Inhalation ER	Residential	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,800	NA
	Indust/Com	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13,000	NA

Note: Analytical testing results for PNAs are expressed in parts-per-billion (ppb) concentrations.

Note: Exceedences of the most stringent IEPA TACO Tier 1 GROs in **bold**.

Note: Exceedences of the IEPA TACO Indoor Inhalation GROs in **bold** and shading.

Note: NA = Remediation objective not applicable for specified analyte.

Note: Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample analyte.

Note: * = PNA. Impaction in groundwater sample MW-6 from July 2017 does not appear to be attributable to the release.

Superscripts:

1-Class I Groundwater Remediation Objective exceeded

2-Class II Groundwater Remediation Objective exceeded

3-Table H Residential Indoor Inhalation Groundwater Remediation Objective exceeded

4-Table H Industrial/Commercial Indoor Inhalation Groundwater Remediation Objective exceeded

5-Table I Residential Indoor Inhalation Groundwater Remediation Objective exceeded

6-Table I Industrial/Commercial Indoor Inhalation Groundwater Remediation Objective exceeded

EXHIBIT B2-B

Summary of Analytical Results - Groundwater PNAs

Sample ID	Date Collected	Acenaphthene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Pyrene
MW-10	04/23/15	< 10	< 5	< 0.13	< 0.2	< 0.18	< 0.17	< 1.5	< 0.3	< 2	< 2	< 0.3	< 10	< 2
	07/26/17	< 0.515	< 0.515	< 0.122	< 0.106	< 0.132	< 0.127	< 0.515	< 0.289	< 0.515	< 0.515	< 0.412	< 31.5	< 0.515
	08/20/18	< 0.500	< 0.500	< 0.118	< 0.103	< 0.128	< 0.123	< 0.500	< 0.300	< 0.500	< 0.500	< 0.430	< 20.7	< 0.500
MW-11	04/23/15	33	7	< 0.13	< 0.2	< 0.18	< 0.17	< 1.5	< 0.3	< 2	< 43	< 0.3	< 41	< 2
	07/26/17	< 0.500	< 0.500	< 0.118	< 0.103	< 0.128	< 0.123	< 0.500	< 0.280	< 0.500	< 0.500	< 0.400	< 0.500	< 0.500
MW-12	04/23/15	< 10	< 5	< 0.13	< 0.2	< 0.18	< 0.17	< 1.5	< 0.3	< 2	< 2	< 0.3	< 13	< 2
	07/26/17	< 0.505	< 0.505	< 0.119	< 0.104	< 0.129	< 0.124	< 0.505	< 0.283	< 0.505	< 0.505	< 0.404	< 13.2	< 0.505
	08/20/18	< 0.505	< 0.505	< 0.119	< 0.104	< 0.129	< 0.124	< 0.505	< 0.293	< 0.505	< 0.505	< 0.424	< 9.44	< 0.505
MW-13	04/23/15	< 10	< 5	< 0.13	< 0.2	< 0.18	< 0.17	< 1.5	< 0.3	< 2	< 2	< 0.3	177 ^{1,3}	< 2
	07/26/17	< 0.515	< 0.515	< 0.122	< 0.106	< 0.132	< 0.127	< 0.515	< 0.289	< 0.515	< 1.09	< 0.412	278 ^{1,2,3}	< 0.515
	08/20/18	< 0.505	< 0.505	< 0.119	< 0.104	< 0.129	< 0.124	< 0.505	< 0.293	< 0.505	< 0.505	< 0.424	136 ³	< 0.505
MW-14	04/23/15	< 10	< 5	< 0.13	< 0.2	< 0.18	< 0.17	< 1.5	< 0.3	< 2	< 2	< 0.3	< 10	< 2
	07/26/17	< 0.505	< 0.505	< 0.119	< 0.104	< 0.129	< 0.124	< 0.505	< 0.283	< 0.505	< 0.505	< 0.404	< 66.5	< 0.505
MW-15	04/23/15	< 10	< 5	< 0.13	< 0.2	< 0.18	< 0.17	< 1.5	< 0.3	< 2	< 2	< 0.3	< 10	< 2
MW-100	04/29/20	< 1.00	< 1.00	< 0.080	< 0.090	< 0.18	< 0.050	< 1.00	< 0.050	< 1.00	< 1.00	< 0.050	115 ³	< 1.00
MW-101	04/29/20	< 1.00	< 1.00	< 0.080	< 0.090	< 0.18	< 0.050	< 1.00	< 0.050	< 1.00	< 1.00	< 0.050	< 1.00	< 1.00
MW-102	09/28/18	< 0.500	< 0.500	< 0.118	< 0.103	< 0.128	< 0.123	< 0.500	< 0.300	< 0.500	< 0.500	< 0.430	< 0.500	< 0.500
MW-103	08/20/18	< 0.500	< 0.500	< 0.118	< 0.103	< 0.128	< 0.123	< 0.500	< 0.300	< 0.500	< 0.500	< 0.430	< 0.500	< 0.500
IEPA TACO Tier 1 GROs Groundwater Component of Groundwater Ingestion ER	Class I	420	2,100	0.13	0.20	0.18	0.17	1.5	0.3	280	280	0.43	140	210
	Class II	2,100	10,500	0.65	2.00	0.90	0.85	7.5	1.5	1,400	1,400	2.15	220	1,050
IEPA TACO Tier 1 GROs Table H - Diffusion & Advection Indoor Inhalation ER	Residential	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	75	NA
	Indust/Com	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	320	NA
IEPA TACO Tier 1 GROs Table I - Diffusion Only Indoor Inhalation ER	Residential	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,800	NA
	Indust/Com	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13,000	NA

Note: Analytical testing results for PNAs are expressed in parts-per-billion (ppb) concentrations.

Note: Exceedences of the most stringent IEPA TACO Tier 1 GROs in **bold**.

Note: Exceedences of the IEPA TACO Indoor Inhalation GROs in **bold** and shading.

Note: NA = Remediation objective not applicable for specified analyte.

Note: Reporting limits varies for each sample and/or analyte. Please refer to laboratory analytical report for individual laboratory reporting limits. When sample result is non-detect, the number following "<" is typically the laboratory reporting limit for that sample analyte.

Superscripts:

1-Class I Groundwater Remediation Objective exceeded

2-Class II Groundwater Remediation Objective exceeded

3-Table H Residential Indoor Inhalation Groundwater Remediation Objective exceeded


4-Table H Industrial/Commercial Indoor Inhalation Groundwater Remediation Objective exceeded

5-Table I Residential Indoor Inhalation Groundwater Remediation Objective exceeded

6-Table I Industrial/Commercial Indoor Inhalation Groundwater Remediation Objective exceeded

FIGURE FOR EXHIBIT C
CITY OF PEORIA
HIGHWAY AUTHORITY AGREEMENT

Former Illico, Inc. Service Station Property
3712 North University Street
Peoria, Illinois



PROPOSED CITY OF PEORIA HIGHWAY
AUTHORITY AGREEMENT AREA

COMMERCIAL
PROPERTY

STRATFORD DR

STRATFORD DR.

ASPHALT
PARKING LOT

N. UNIVERSITY ST.

SITE BUILDING

W. WAR MEMORIAL DR.

LEGEND

- PROJECT PROPERTY LINE
- PROPERTY LINE
- CONFIRMATION SAMPLE LOCATION
(IMPACTED ABOVE TACO TIER 2 SRO'S)
(IMPACTED ABOVE TACO TIER 1 SRO'S BELOW TIER 2)
- SOIL BORING SAMPLE LOCATION
(IMPACTED ABOVE TACO TIER 2 SRO'S)
(IMPACTED ABOVE TACO TIER 1 SRO'S BELOW TIER 2)
(REMOVED DURING CORRECTIVE ACTION)
- MONITORING WELL LOCATION
(IMPACTED ABOVE TACO TIER 1 GRO'S)
- HIGHWAY AUTHORITY AGREEMENT AREA



1" = 50'

GWC
GREEN WAVE CONSULTING, LLC
4440 ASH GROVE DRIVE, Suite A
Springfield, IL 62711 (217-726-7569)

HIGHWAY AUTHORITY AGREEMENT AREA MAP		PREPARED WOLFE	DATE 05/2020
ILICO, INC. - UNIVERSITY		DRAWN WOLFE	DATE 05/2020
3712 N. UNIVERSITY ST. PEORIA, IL 61614		APPROVED WIENHOFF	DATE 05/2020
INCIDENT NO. 1992-3441	FILE NAME ILICO - UNIVERSITY - IC 8X11	PROJECT NO. 120	FIGURE C