ORDINANCE 17,298

AN ORDINANCE AMENDING AN EXISTING SPECIAL USE, ORDINANCE NUMBER 13,633, AS AMENDED, FOR A SHOPPING CENTER IN A CLASS C-2 (LARGE SCALE COMMERCIAL) DISTRICT TO ADD A NEW RETAIL BUILDING AND A FUEL CENTER, FOR THE PROPERTY COMMONLY KNOWN AS EVERGREEN SQUARE SHOPPING CENTER AND LOCATED AT 801 W LAKE AVENUE (PARCEL IDENTIFICATION NUMBERS 14-20-476-006, -016, -017, -018, -019, -020, -023, -024, -025, & 14-20-428-009), PEORIA, IL.

WHEREAS, the property herein described is now zoned in a Class C-2 (Large Scale Commercial) District; and

WHEREAS, said Planning & Zoning Commission has been petitioned to amend an existing Special Use for a Shopping Center under the provisions of Section 2.15 of Appendix B, the Permanent Zoning Ordinance, of the City of Peoria; and

WHEREAS, said Planning & Zoning Commission held a public hearing on October 1, 2015, with respect to said petition, which hearing was held pursuant to a notice of the time and place thereof in a newspaper of general circulation in the City of Peoria, not less than fifteen (15) days nor more than thirty (30) days prior to said hearing as required by law.

WHEREAS, said Planning & Zoning Commission has submitted its report of said public hearing and the City Council finds that to permit such use will not adversely affect the character of the neighborhood, and will not unduly burden the public utility facilities in the neighborhood;

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF PEORIA, ILLINOIS:

<u>Section 1.</u> That an amendment to an existing Special Use for a Shopping Center to add a new retail building and fuel center is hereby approved for the following described property:

LEGAL DESCRIPTION ENTIRE CENTER

PART OF THE SOUTHEAST QUARTER OF SECTION 20, TOWNSHIP 9 NORTH, RANGE 8 EAST OF THE FOURTH PRINCIPAL MERIDIAN, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SAID SECTION 20; THENCE NORTH 88 DEGREES 11 MINUTES 11 SECONDS WEST 425.00 FEET ALONG THE CENTERLINE OF LAKE AVENUE AS MONUMENTED, THENCE NORTH 00 DEGREES 55 MINUTES 00 SECONDS EAST 50.0 FEET TO THE NORTH R.O.W. LINE OF SAID LAKE AVENUE AND THE POINT OF BEGINNING OF THE TRACT TO BE DESCRIBED; THENCE NORTH 88 DEGREES 11 MINUTES 11 SECONDS WEST ALONG THE NORTH R.O.W. LINE OF SAID LAKE AVENUE 861.57 FEET; THENCE NORTH 01 DEGREES 01 MINUTES 59 SECONDS EAST 1285.24 FEET; THENCE SOUTH 88 DEGREES 12 MINUTES 45 SECONDS EAST 1118.19 FEET; THENCE SOUTH 00 DEGREES 00 MINUTES 00 SECONDS EAST 29.70 FEET; THENCE SOUTH 89 DEGREES 05 MINUTES 00 SECONDS EAST 115.00 FEET TO THE WESTERLY R.O.W. LINE OF SHERIDAN ROAD; THENCE SOUTH 00 DEGREES 00 MINUTES 00 SECONDS ALONG THE WESTERLY R.O.W. LINE OF SAID SHERIDAN ROAD 519.21 FEET; THENCE NORTH 89 DEGREES 05 MINUTES 00 SECONDS WEST

115.00 FEET; THENCE SOUTH 00 DEGREES 00 MINUTES 00 SECONDS EAST 471.36 FEET; THENCE NORTH 89 DEGREES 05 MINUTES 00 SECONDS WEST 255.21 FEET; THENCE SOUTH 00 DEGREES 55 MINUTES 00 SECONDS WEST 248.23 FEET TO THE POINT OF BEGINNING; SITUATED IN THE COUNTY OF PEORIA AND STATE OF ILLINOIS.

LEGAL DESCRIPTION KROGER REDEVELOPMENT AREA

PART OF THE SOUTHEAST QUARTER OF SECTION 20, TOWNSHIP 9 NORTH, RANGE 8 EAST OF THE FOURTH PRINCIPAL MERIDIAN, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SAID SECTION 20; THENCE NORTH 88 DEGREES 11 MINUTES 11 SECONDS WEST 512.00 FEET ALONG THE CENTERLINE OF LAKE AVENUE AS MONUMENTED, THENCE NORTH 01 DEGREES 48 MINUTES 49 SECONDS EAST 50.0 FEET TO THE NORTH R.O.W. LINE OF SAID LAKE AVENUE AND THE POINT OF BEGINNING OF THE TRACT TO BE DESCRIBED; THENCE NORTH 88 DEGREES 11 MINUTES 11 SECONDS WEST 774.57 FEET ALONG THE NORTH R.O.W. LINE OF SAID LAKE AVENUE; THENCE NORTH 01 DEGREES 01 MINUTES 59 SECONDS EAST 1285.24 FEET; THENCE SOUTH 87 DEGREES 19 MINUTES 26 SECONDS EAST 334.90 FEET; THENCE SOUTH 00 DEGREES 56 MINUTES 05 SECONDS WEST 189.80 FEET; THENCE SOUTH 87 DEGREES 19 MINUTES 26 SECONDS EAST 234.00 FEET; THENCE SOUTH 00 DEGREES 56 MINUTES 05 SECONDS WEST 286.00 FEET; THENCE SOUTH 88 DEGREES 11 MINUTES 11 SECONDS EAST 199.4 FEET; THENCE SOUTH 00 DEGREES 56 MINUTES 05 SECONDS WEST 423.67 FEET; THENCE SOUTH 01 DEGREES 48 MINUTES 49 SECONDS WEST 427.20 FEET TO THE POINT OF BEGINNING; SITUATED IN THE COUNTY OF PEORIA AND STATE OF ILLINOIS.

Said Ordinance is hereby amended per the submitted Site and Landscape Plan and Elevations (Attachment

- A), and with the following conditions and waivers:
 - 1. A waiver to not provide additional landscaping along Sheridan Road, as these parcels are not controlled by Kroger Limited Partnership I ("Kroger"), the anticipated owner of the Kroger Redevelopment Area.
 - 2. A waiver to only provide parking lot landscaping associated with parking owned or to be owned by Kroger, as part of this amendment.
 - 3. A waiver to allow light standard signs on all light standards throughout the parking area.
 - 4. A waiver to allow a 2 freestanding signs for the shopping center, approximately 420 square feet in area and 35 feet in height per sign, and a sign for the fuel center 199.33 square feet in area and not to exceed 25 feet in height, as depicted in the attached elevations.
 - 5. A waiver to allow front yard landscaping along Lake Avenue be in the form of trees, shrubs, and native plantings (rain garden), with zoning ordinance requirements met for the number of points required.
 - 6. A waiver to allow parking lot landscaping in the form of trees and shrubs.
 - 7. A waiver is requested to not screen the mechanicals on the west side of the building.
 - 8. Accessible parking spaces must be located on the shortest route of travel to the facility entrances.
 - 9. Disabled parking spaces must be striped with an 11' parking area and a 5' aisle on the right hand side, or alternatively, with an 8' parking area and 8' aisle. Accessible spaces shall be signed with an R7-8 sign and an R7-101 \$350 fine plate.
 - 10. Regular parking spaces must be striped a minimum of 8.5 feet in width by 18.5 feet in length.
 - 11. Replace deteriorated and non-ADA-compliant walks, curbs and accessible ramps along property frontage, for all parcels controlled or to be controlled by Kroger.

- 12. Improve the (west) entrance along Lake Avenue to meet current ADA standards including an accessible crosswalk, ramps, and access to the pedestrian push buttons.
- 13. To address stormwater detention, 2 rain gardens must be added to the front yard along lake; one immediately east of the westerly entrance and one immediately west of the easterly entrance in place of some trees and shrubs currently shown. In addition, the detention area shown in the southwest corner of the site must be large enough to capture roof drainage from the new store and native plants must be placed around the edge of the detention area.
- 14. A photometric lighting plan is required before permits are issued. Lighting may not exceed 3 footcandles as measured at the property line.
- 15. Except as otherwise noted above, all rooftop and ground level mechanical equipment and utilities must be screened per Zoning Ordinance requirements. The parapet should be extended on the south side to fully screen the rooftop mechanical units from Lake Avenue.
- 16. All proposed signs must meet zoning ordinance requirements, unless a specific waiver is granted. Building permits are required for all signs.
- 17. Outdoor display areas and sidewalk sales are approved as part of this amendment. A revised plan showing all proposed display areas should be provided.
- 18. Signage must be added to slip lane
- 19. Brick pavers must be used for the 6 crosswalks (2 on the south end the new building, 2 at the front of the new building, and two to the north of the new building) and add stop signs and pedestrian signage at the crosswalks.

<u>Section 2.</u> All provisions of Appendix B, the Zoning Ordinance, of the City of Peoria, with respect to Class C-2 (Large Scale Commercial) District shall remain applicable to the above-described premises, with exception to the amendment to the Special Use herein permitted.

<u>Section 3.</u> This Ordinance shall be in full force and effect from and after its passage and approval according to law.

PASSEL	BY THE CITY	COUNCIL OF TH	HE CITY OF PEORIA, ILLINOIS THIS
24th	DAY OF	November	, 2015.
			APPROVED:
ATTEST:	Beth L	all	Mayor
City Clerk		·.	
EXAMINED AND Corporation Corporation	rald D	Leist	A
•			

SOUTH ELEVATION



WEST ELEVATION





NORTH ELEVATION

Kroger

Kroger J717







Scale: 3/32"=1'-0"

This is a three inch scale to confirm size of document


LEGAL DESCRIPTION

SITE DATA

CURRENT ZOMMG - CZ LANGE 50

TOTAL ACREAGE : 1847 - ACRES

GENERAL NOTES



PROJECT MANAGER	REVISIONS.	
APPROVED BY GRZ	9-28-15 ADDED BIKE RACK AND SIDEWALK ALONG NORTH SIDE OF EXISTING KROGER BUILDING	
DATE. OCTOBER 23, 2015	10-5-15 ADDED LANDSCAPE ISLANDS, RAIN GARDENS AND DETENTION AREA	
DWG. 20336-SHEET 1 OF 2 WITH DETENTION	10-12-15 ADDED TRUCK TURNING MOVEMENTS	
SUPPLY RY: MIST		

ZUMWALT & ASSOCIATES, INC.

PROFESSIONAL ENGINEERS & REGISTERED LAND SURVEYORS 1040 W OLYAPIA DRIVE PEORIA, ILLINOIS & (309) 695-9074 DESIGN FIRM REGISTRATION NO 184-003189

KROGER MARKETPLACE PEORIA, IL

SITE PLAN EVERGREEN SQUARE - PEORIA, IL




LEGAL DESCRIPTION

SITE DATA

- 5 PARAJING RAYID / 1000 2 05
- 6 CURRENT JOHING CI LARGE SCALE COMMERCE
-) TOTAL ACREAGE 32 71 ACRES

GENERAL NOTE



PROJECT MANAGER	REVISIONS.
APPROVED BY GRZ	9-28-15 ADDED BIKE RACK AND SIDEWALK ALONG NORTH SIDE OF EXISTING KROGER BUILDING
DATE: OCTOBER 23, 2015	10-5-15 ADDED LANDSCAPE ISLANDS, RAIN GARDENS AND DETENTION AREA
DWG 20338-SHEET 2 OF 2 WITH DETENTION	

ZUMWALT & ASSOCIATES, INC.
PROFESSIONAL ENDINEERS * REGISTERED LAND SURVEYORS
104 W OLV MPAI DAIN'S
PEOREM, ILLENDIS * (109) 507-5074
DESIGN FERM REGISTRATION NO 184-603189

KROGER MARKETPLACE PEORIA, IL

OVERALL SITE PLAN EVERGREEN SQUARE - PEORIA, IL



LEGAL DESCRIPTION

THAT OF the SANDMART DURING OF SCHOOL TO TOWNING A SOUTH, RANGE I EAST OF EXHIBITION OF SCHOOL TO THE COUNTY OF SCHOOL TO THE COUNT

SITE DATA

KROGER LIMITED PARCHERSHIP MOWEST REGION

INDUSARPOLIS, INDUSAR 66750

 PNN NOS 14:20:428:009, 14:20:424:006, 14:70:424:036, 14:20:426:012, 14:20:426:018, 14:20:436:018, 14:20:436:018, 14:20:436:028, 14:20:436:028, 14:20:436:028, 14:20:436:028


S TOTAL BUR DING AREA - 358,684 SF

REGULAR PARKING SPACES 135 MANDICAP PARKING SPACES 4

TOTAL PAREING SPACES

4 CURRENT ZONING - CZ LARGE SCALE CO

T TOTAL ACREAGE - 12.71 ± ACRES



PROJECT MANAGER:	REVISIONS
APPROVED BY: GRZ	
DATE SEPTEMBER 11, 2015	
DWG. 20336-T1 TURNING	


ZUMWALT & ASSOCIATES, INC.

PROFESSIONAL ENGINEERS • REGISTERED LAND SURVEYORS

PROFESSIONAL ENGINEERS • REGISTERED LAND SURVEYORS 1040 W OLYMPIA DRIVE PEORIA, ILLINOIS • (309) 692-5074 DESKIN FIRM REGISTRATION NO 184-003189 KROGER MARKETPLACE PEORIA, IL

OVERALL SITE PLAN TRUCK TURNING MOVEMENTS EVERGREEN SQUARE - PEORIA, IL





1 Marriso Mapie
1 Marriso Mapie
1 Marriso Mapie

Homeylocust 16

2 Honeyiccust


		1 Winterlung Headburb + \$\frac{1}{2}, c Dense Yex \$\frac{1}{2}		•	, (2	Existing Cratiacole 8 3 Deliae Yes Existing Cratiacole 19
)			garante de la composition della composition dell		a sala sa sa sa gala da	
			and the second	•·····································	v - v - 15 v 4	/ Honeylocust
		1 Winterlying Hawithorn 1 Combetives			(2) (2) (3)	Earstang Crabappee 36 3 Existing Jumper Earstang Lirabappee 8
		2 mone pusewol. 1 Wildenberg than thinks C Cathier Yes	•			N Vonderking Davidson of Dense New
	Their court Cabacae	of Cense ten I Waterlang Haviltoni				2 Incomprocust
		2 final .	verwessus absabilies		•	ji Mesti Jeneriki takapole
		2 Medice veri Crab I Alamo Magrie	34¥₩			¿ thorney/count
i e	•	•	•		•	* Hed Jewer Crabapove
en en de la companya	, · · · · · · · · · · · · · · · · · · ·	• •			•1	t Namo Naple
	· · · · · · · · · · · · · · · · · · ·	# - ! Marrish Maple 2 Red de kel sulahappre 45 - 3 Skarre, Wisha Stak		••	••	3 Hegal Prince Cak 1 Macron Mape
•	7. s. 2 3.∤.				•). Rad захеј Стабарра
		_ ● / 1 Marnio Maple			• • •	4 hedreysocust 1 Maurio Maple
Cleargestures Elabors	han sarden (denigo by so	Thermal d .			n Garden sigs by others	
•		• 1.0 1		▼ 1	one of the second of the seco	/ Mage Carpet Sprea n Norway Spruce
и Могкай, Булски 17 Мары Санрес Броека	3.1 Magic Laiper Spin oa 3 Militoray Spinisie 3 Marins Magie 14 Co. Spinis		d Sterrije Yew 10 Blue Muffer Vilburn 13 Knock (Sat Rose	у Мунтко Маске um 14 Tor Spinea		

4 for Specia

		POINTS REGURED	PUNTS PROVIDE
Later Street Frontage 860			
appendiction in the second sec	8600	430	651
tree parts	416	715	286
errabi purmi	4302	219	261
*****			·
Nan Cartiforna	. AND ARREST MEMBERS CONTINUES AND ADDRESS.		
AND ADDRESS OF THE PARTY OF THE	·		1.5
scade trees	18 - 15		270
evergreen trees	97 4 3		20.
synds .	3743		L
totas .		95.7 4.79	1449
			1000
Note:			1000
State of the state	**************************************		1000
State of the state	341		1366
State of the state	3 a 1		1969
hotel In carteel subrids Ensong overs material 34 Aurelann (3) 10 Crabopole (6) 15+10	The second second second second		1366
hobs In custed estends Ensong poert meternal 24 Aunders (3) 10 Crabeppe (4 15+10 8 Crabeppe (5	2 • 25		1369 9 96
hobs In custed estends Ensong poert meternal 24 Aunders (3) 10 Crabeppe (4 15+10 8 Crabeppe (5	12 - 15		1366 7 70 30 54
hotes In carbind willings Existing point material 34 Aurabert (5) 15 Chapping 4: 15-10 8 Contagent 6: 15-10 14 Chapping 3 14 Chapping 3	2 + 25 12 + 15 1 + 58		1369 90 90 93
holds Froutfield without Exchange permit manners Self Auropean (3) To Chabappean (4, 15+10) Si Chabappean (4, 15+10) Si Chabappean (4, 15+10) To Pathony (4, 15+10)	2 = 25 12 = 15 1 = 58 1 = 62		1369 9 36 36 36 47
India Froutbook eletech Ecology perif indiana 24 Auropean (3) 15 Carboppean (4, 15+15) 2 Carboppean (4, 15+15) 2 Carboppean (4, 15+15) 16 Froutbook (15+15) 16 Froutbook (15+15) 17 Froutbook (15+15) 18 Froutbook (15+15) 18 Froutbook (15+15)	12 x 15 12 x 15 1 x 58 7 x 62 5 x 56		1969 36 36 58 62 67
Enlarg peri merunai 24 Aurteurs (2) (3 Carbapea 4: 15-10 8 Carbapea 5: 10 menghasan 20-10-25 10 menghasan 20-10-25 10 menghasan 20-10-25 18 harapakan 20-10-25 man bara bara penghasan 20-10-26 (4) menghasan 20-10-25 (5) harapakan 20-10-25 (6) menghasan	12 x 15 12 x 15 1 x 58 7 x 62 5 x 56		1069 20 30 44 62 64 62 64 65 66 66 66 66 66 66 66 66 66
Mole Transfer Methods Example of the Methods 24 Author 12 25 Author 12 26 Caregor 4 15-10 27 Caregoria 4 15-10 27 Caregoria 4 15-10 27 Caregoria 4 15-10 27 Caregoria 4 15-10 28 Televis 10-10-25 El horsestado 27-10-25 El horsestado 27-10-25 El horsestado 27-10-26 El horsestado 27-10-27 For De Year 10-10-27 For De	1 + 25 11 + 15 1 + 58 7 + 62 5 + 66 6 smides		1969 56 56 58 67 67 275
Note In cultival stands Colong poer manage 24 Anglan (3) 15 Cathapper (4) 15 Cathapper (4) 15 Family (2) 16 Temperature (2) (1) (5) 16 Temperature (2) (1) (1) (1) 16 Temperature (2) (1) (1) (1) 17 Temperature (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	2 + 25 42 + 15 1 + 58 7 + 62 1 + 60 6 4 Modes 32 + 20		1009 56 50 54 67 275

		3471	QUANTITY.
SHADE TREES			
Appr a framanic Macros	blarrer blage	1.5	15
Significant transportations can interest a Caylorea	Skyane Locust	3.	14
Sieditale trieserithos ver mettins	E- and moneyeous	· Arige	1
Charles Second	Swamp Note Case		
Director & Regar Pictice	Regar Protes English Disk		3
EVERGREEN TREES			
Florida abres	Norway Sprace	. *	:8
NTERMESKATE THEES			
Cratangus wests Mornering	Arresting mechan	114	
Linus Res Jewn	Red Jewe Cratheties	15	24
Effects as	Existing Cratispers	10095	
DECIDIADUS SHAUBS			
Sprea betafole To	To British Spies	24	28
Sprane - bursaide Magic Carpel	Stage Carpel Sprea	. 24	42
Phonocen gerdesum Christian	Book Notice Wavenum	34	12
EVERGREEN SHOUBS			
Amperol r	t usen; sunpe	14	3
Tarris - Pess	Derse te-	24	3.7

NOTES



aparate f Hece oraș + I hinligi

gengistld

Blumington * founds

10 feet of feet * 5

50 feet of feet of feet * 5

A SAMPAIGN TOWN

Cheago Western Suburbo

re atuat

Copright: reen kiew Landwaping Cimp

....





NUMBER


T &C October, 2015 S.3 George Piecer

#4 Rain gardens 10:21

Evergreen Square







34"

37"

FABRICATE AND INSTALL 1 D/F INTERNALLY ILLUMINATED PYLON SIGN

192" 195"

CONSTRUCTED OUT OF ALUMINUM ANGLE AND SKINNED IN ALUMINUM, PAINTED IN A COLOR SCHEME TBD. TENANT PANELS HAVE 2" RETAINERS AND 1 1/2" DIVIDERS, WITH 3/16" POLYCARB FACES WITH VINYL GRAPHICS. STONE BASE AND LANDSCAPING BY OTHERS LIGHTING WILL BE WITH LEDS

BE WIRED TO 120 VOLT UNLESS OTHERWISE SPECIFIED

30 1/2"

SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE 1 THE REQUIREMENTS OF ARTICLE 800 OF THE NATIONAL THICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES, INCLUDESPROPER GROUNDING AND BONDING OF THE SIGN.

E: THERE WILL BE COLOR VARIATIONS FROM THIS PRINTED DRAWING TO THE FINAL PRODUCT, COLORS SPECIFIED WILL ALWAYS BE MATCHED AS CLOSE AS POSSIBLE.



IMAGE SOLUTIO

www.signcraftind.co 8816 CORPORATION C INDIANAPOLIS, IN 462 Office 317.842.8664 Fax 317.842.3015

PREPARED FOR

KROGER

PEORIA, IL

SKETCH NAME

LARGE PYLON

SCALE

3/16" = 1'-0"

DATE

SEPT 24, 2015

S. C. REPRESENTATIV

CHRISTINA BEYERL

INDEX NUMBER

1015-0215A

DESIGNER

SLM

REVISIONS

1-10/5/15 5- 10/30/

2-10/6/15 6-

3-10/23/15 7-4- 10/26/15 8-

COLOR SPECS

В

C __

D

F COLOR APPROVAL

DRAWING APPROVAL

WORK ORDER NO.







31'-9" HIGH EXISTING PYLON AT SHERIDAN ROAD ENTRANCE 35'-1" HIGH NEW PYLON AT SHERIDAN ROAD ENTRANCE



www.signcraftind.com Office 317.842.8664 Fax 317.842.3015

PREPARED FOR

KROGER

PEORIA, IL

SKETCH NAME

PYLON COMPARISON

SCALE

3/32" = 1'-0"

DATE

NOV 5, 2015 S. C. REPRESENTATI

CHRISTINA BEYERL

INDEX NUMBER

1115-0076

DESIGNER

SLM

REVISIONS

-	5-
	6-
-	7-
	0

COLOR SPECS

COLOR APPROVAL

DRAWING APPROVAL

WORK ORDER NO.





ARTWORK IS THE PROPERTY OF SIGNCRAFT INDUSTRIES INC. PROTECTED BY COPYRIGHT LAWS

FABRICATE AND INSTALL 1 D/F INTERNALLY ILLUMINATED PYLON SIGN

CONSTRUCTED OUT OF ALUMINUM ANGLE AND SKINNED IN ALUMINUM, PAINTED IN A COLOR SCHEME TBD. TENANT PANELS HAVE 2" RETAINERS AND 1 1/2" DIVIDERS, WITH 3/16" POLYCARB FACES WITH VINYL GRAPHICS. STONE BASE AND LANDSCAPING BY OTHERS

BE WIRED TO 120 VOLT UNLESS OTHERWISE SPECIFIED

SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE 1 THE REQUIREMENTS OF ARTICLE 500 OF THE NATIONAL TRICAL CODE AND OR OTHER APPLICABLE LOCAL CODES INCLUDESPROPER GROUNDING AND BONDING OF THE SIGN.

ET THERE WILL BE COLOR VARIATIONS FROM THIS PRINTED DRAWING TO THE FINAL PRODUCT, COLORS SPECIFIED WILL ALWAYS BE MATCHED AS CLOSE AS LOSS BLAZE.



www.signcraftind.com

8816 CORPORATION DINDIANAPOLIS, IN 462 Office 317.842.8664 Fax 317.842.3015

PREPARED FOR

KROGER

PEORIA, IL

SKETCH NAME

LARGE PYLON

SCALE

3/16"= 1'-0"

DATE SEPT 24, 2015

S. C. REPRESENTATIV

CHRISTINA BEYERL

INDEX NUMBER

0915-0186

0913-0100

DESIGNER

SLM

REVISIONS

1- 5

?- 6-?- 7-

3- /-4- 8-

COLOR SPECS

В

0

D

COLOR APPROVAL

DRAWING APPROVAL

WORK ORDER NO.

