



Axon Enterprise, Inc.
 17800 N 85th St.
 Scottsdale, Arizona 85255
 United States
 VAT: 86-0741227
 Domestic: (800) 978-2737
 International: +1.800.978.2737

Q-327507-44462.765GM

Issued: 09/23/2021

Quote Expiration: 09/30/2021

EST Contract Start Date: 10/15/2021

Account Number: 113128

Payment Terms: N30

Delivery Method: Fedex - Ground

SHIP TO	BILL TO
Business;Delivery;Invoice-600 SW Adams St 600 SW Adams St Peoria, IL 61602-1524 USA	Peoria Police Dept - IL 600 SW Adams St Peoria, IL 61602-1524 USA Email:

SALES REPRESENTATIVE	PRIMARY CONTACT
Geoff Matthews Phone: +1 5132399452 Email: gmatthews@axon.com Fax:	Jack Nieu Kirk Phone: (309) 673-4521 Email: jnieukirk@peoriagov.org Fax: (309) 494-8242

Program Length	60 Months
TOTAL COST	\$576,730.89
ESTIMATED TOTAL W/ TAX	\$576,730.89

Bundle Savings	\$0.00
Additional Savings	\$129,495.81
TOTAL SAVINGS	\$129,495.81

PAYMENT PLAN		
PLAN NAME	INVOICE DATE	AMOUNT DUE
Year 1	Sep, 2021	\$110,346.23
Year 1	Sep, 2021	\$25,000.00
Year 2	Sep, 2022	\$110,346.18
Year 3	Sep, 2023	\$110,346.18
Year 4	Sep, 2024	\$110,346.18
Year 5	Sep, 2025	\$110,346.18

Quote Details

Bundle Summary		
Item	Description	QTY
DynamicBundle	Dynamic Bundle	1
ProLicense	Pro License Bundle	229

Bundle: Dynamic Bundle Quantity: 1 Start: 10/15/2021 End: 10/14/2026 Total: 38372.5 USD			
Category	Item	Description	QTY
Other	74056	WALL MOUNT	10
Other	50268	POS-X TP6 TOUCH PANEL W/4GB RAM	10
Other	50295	AXON INTERVIEW PRO SERVER	2
Other	74116	INTERVIEW COVERT ENCLOSURE - AV WALL PLATE, FLUSH MOUNTED	10
Other	50118	LOUROE MICROPHONE	10
Other	50114	COVERT CAMERA, SENSOR UNIT	10
Other	50113	COVERT CAMERA, MAIN UNIT	10

Bundle: Pro License Bundle Quantity: 229 Start: 10/15/2021 End: 10/14/2026 Total: 410064.27 USD			
Category	Item	Description	QTY
E.com License	73746	PROFESSIONAL EVIDENCE.COM LICENSE (Formerly SKU 73746)	229
A La Carte Storage	73683	10 GB EVIDENCE.COM A-LA-CART STORAGE	687

Tax is estimated based on rates applicable at date of quote and subject to change at time of invoicing. If a tax exemption certificate should be applied, please submit prior to invoicing.

Standard Terms and Conditions

Axon Enterprise Inc. Sales Terms and Conditions

Axon Master Services and Purchasing Agreement:

This Quote is limited to and conditional upon your acceptance of the provisions set forth herein and Axon's Master Services and Purchasing Agreement (posted at www.axon.com/legal/sales-terms-and-conditions), as well as the attached Statement of Work (SOW) for Axon Fleet and/or Axon Interview Room purchase, if applicable. In the event you and Axon have entered into a prior agreement to govern all future purchases, that agreement shall govern to the extent it includes the products and services being purchased and does not conflict with the Axon Customer Experience Improvement Program Appendix as described below.

ACEIP:

The Axon Customer Experience Improvement Program Appendix, which includes the sharing of de-identified segments of Agency Content with Axon to develop new products and improve your product experience (posted at www.axon.com/legal/sales-terms-and-conditions), is incorporated herein by reference. By signing below, you agree to the terms of the Axon Customer Experience Improvement Program.

Acceptance of Terms:

Any purchase order issued in response to this Quote is subject solely to the above referenced terms and conditions. By signing below, you represent that you are lawfully able to enter into contracts. If you are signing on behalf of an entity (including but not limited to the company, municipality, or government agency for whom you work), you represent to Axon that you have legal authority to bind that entity. If you do not have this authority, please do not sign this Quote.

Signature

Date Signed

9/23/2021

STATEMENT OF WORK & CONFIGURATION DOCUMENT

Axon Interview Recording Platform


This document details a proposed system design

Agency Created For: Peoria Police Dept - IL

Sold By:	Geoff Matthews
Designed By:	Matthew Karsten
Installed By:	Axon Professional Services
Customer Contact:	Jack Niekirk
Target Install Date:	04/15/2021

AXON INTERVIEW RECORDING PLATFORM

This image is intended to be a general visual of how Interview Room is configured. Please read through the SOW for configuration specific to this deal.



AXON-PROVIDED HARDWARE SUMMARY

The following section offers a broad summary of the Axon-provided hardware needed to configure this order. With the exception of server quantities, QUANTITIES DO NOT REFLECT CUSTOMER-PROVIDED ITEMS.

Total Camera Configurations		Locations	# Rooms
10	Camera(s)	Peoria Police Department	10
10	Covert Enclosure(s)		
10	Microphone(s) Injector(s)		
Total Switches			
0	POE Switch(es)		
Total Servers			
2	Server(s) <i>(customer-provided included)</i>		
Total Touch Panels			
10	Touch Panel(s) <i>(virtual not included)</i>		
10	Wall Mount(s)		
Total Camera Configurations			
0	I/O Box(es)		

INTERVIEW ROOM OVERVIEW

The following sections detail the configuration of the Axon Interview recording system at all locations.

Network Considerations

Network Requirements	Each IP Camera will be connected to a POE switch that provides the device with power and network connectivity.		
	Each Recording Server must be given a static IPv4 network address that is routable across the network.		
	Each IP Camera must be given a static IPv4 network address that is routable across the network.		
	Each touch panel/kiosk must be given a static IPv4 network address that is routable across the network.		
Network Addressing	Network Device	Static IPs	Total IPs
	Qty of IP Cameras	10	22
	Qty of Touch Panels	10	
	Qty of Recording Servers	2	
Data Switch Provisioning	This install will require POE data switches at each location.		
Virtual Kiosks	0 workstations will require virtual kiosk software to be installed.		
Customer Provided Items	Customer to provide all device IP addresses Customer to also provide: <ul style="list-style-type: none"> • Subnet Mask • Gateway IP • DNS/WINS IP • Time Server IP 		
	Customer IT staff will configure all switches with proper network configuration.		

Metadata Tags

Metadata Tagging	The system will collect metadata information prior to, and after, the interview recording process (i.e. Interviewer Name, Interviewee Name, Case Number).
Metadata Tags	Information collected prior to recording: <ul style="list-style-type: none"> • Interviewee first and last name • Case number • Case type • Interviewee type Information collected post recording: <ul style="list-style-type: none"> • Interviewer name(s)
Customer Provided Items	Customer to provide preferred metadata fields.
Axon Provided Items	Axon to facilitate the creation of metadata fields.

NETWORK CONFIGURATION DETAILS

The following section offers a broad summary of the Axon-provided hardware needed to configure this order.

Network Configuration Details

Evidence Management System	
Application Features	Network Applications: <ul style="list-style-type: none">• Remote monitoring application Evidence.com Application Features: <ul style="list-style-type: none">• Secure Cloud Storage• Redaction• Download/Sharing• Audit Trail• Reporting

Training

Application Package	This solution will include on-site application training covering: <ul style="list-style-type: none">• Touch panel overview• Initiating interview wizard• Entering metadata• Controlling the interview process• Closing an interview• Evidence.com functionality
----------------------------	--

Additional General Deal Notes

Notes	
--------------	--

LOCATION DETAILS: Peoria Police Department

The following sections detail the configuration of the Axon Interview recording system at PEORIA POLICE DEPARTMENT

Location Name	Peoria Police Department
----------------------	--------------------------

Cable Considerations

Cabling Runs	will install the networking cables using a 0.	
	22	cable runs are required for this installation.
	14	110v power outlets are required for this installation (Customer Responsibility).
Cabling Requirements	<p>All Devices: Network cabling must be provided for the following devices:</p> <ul style="list-style-type: none"> • Axis IP Camera • Server • Touch Panel or PC running a virtual Touch Panel • POE Switch 	

Servers, Switches, Touch Panels

Servers	Axon Interview Standard Server	Quantity:	1
	Axon Interview Standard Server		1
Redundancy	This system includes recording redundancy		
Data Switch/POE Power	Customer will provide data switch	Quantity:	0
Touch Panels	POS-X Touch Panel		
Touch Panel Location	Wall mounted outside each room		
Number of I/O Boxes Required	0		

Additional Location Notes

Notes	
--------------	--

ROOM DETAILS: Room 1

The following sections detail the configurations specific to ROOM 1

Location Name	Peoria Police Department
Room Name	Room 1

Camera Configuration

Camera 1	Camera 1 will be a(n) : AXIS F41/F1025 Covert IP Camera Covert Enclosure : Flush Mount Enclosure Mic: Louroe Tamper Proof Mic
Recording Activation	Recording will be triggered via IR Client
External Recording-In-Progress Visual	N/A
Wall Configuration	Drywall
Ceiling Configuration	Standard Tile

Additional Location Notes

Notes	
--------------	--

ROOM DETAILS: Room 10

The following sections detail the configurations specific to ROOM 10

Location Name	Peoria Police Department
Room Name	Room 10

Camera Configuration

Camera 1	Camera 1 will be a(n) : AXIS F41/F1025 Covert IP Camera Covert Enclosure : Flush Mount Enclosure Mic: Louroe Tamper Proof Mic
Recording Activation	Recording will be triggered via IR Client
External Recording-In-Progress Visual	N/A
Wall Configuration	Drywall
Ceiling Configuration	Standard Tile

Additional Location Notes

Notes	
--------------	--

ROOM DETAILS: Room 2

The following sections detail the configurations specific to ROOM 2

Location Name	Peoria Police Department
Room Name	Room 2

Camera Configuration

Camera 1	Camera 1 will be a(n) : AXIS F41/F1025 Covert IP Camera Covert Enclosure : Flush Mount Enclosure Mic: Louroe Tamper Proof Mic
Recording Activation	Recording will be triggered via IR Client
External Recording-In-Progress Visual	N/A
Wall Configuration	Drywall
Ceiling Configuration	Standard Tile

Additional Location Notes

Notes	
--------------	--

ROOM DETAILS: Room 3

The following sections detail the configurations specific to ROOM 3

Location Name	Peoria Police Department
Room Name	Room 3

Camera Configuration

Camera 1	Camera 1 will be a(n) : AXIS F41/F1025 Covert IP Camera Covert Enclosure : Flush Mount Enclosure Mic: Louroe Tamper Proof Mic
Recording Activation	Recording will be triggered via IR Client
External Recording-In-Progress Visual	N/A
Wall Configuration	Drywall
Ceiling Configuration	Standard Tile

Additional Location Notes

Notes	
--------------	--

ROOM DETAILS: Room 4

The following sections detail the configurations specific to ROOM 4

Location Name	Peoria Police Department
Room Name	Room 4

Camera Configuration

Camera 1	Camera 1 will be a(n) : AXIS F41/F1025 Covert IP Camera Covert Enclosure : Flush Mount Enclosure Mic: Louroe Tamper Proof Mic
Recording Activation	Recording will be triggered via IR Client
External Recording-In-Progress Visual	N/A
Wall Configuration	Drywall
Ceiling Configuration	Standard Tile

Additional Location Notes

Notes	
--------------	--

ROOM DETAILS: Room 5

The following sections detail the configurations specific to ROOM 5

Location Name	Peoria Police Department
Room Name	Room 5

Camera Configuration

Camera 1	Camera 1 will be a(n) : AXIS F41/F1025 Covert IP Camera Covert Enclosure : Flush Mount Enclosure Mic: Louroe Tamper Proof Mic
Recording Activation	Recording will be triggered via IR Client
External Recording-In-Progress Visual	N/A
Wall Configuration	Drywall
Ceiling Configuration	Standard Tile

Additional Location Notes

Notes	
--------------	--

ROOM DETAILS: Room 6

The following sections detail the configurations specific to ROOM 6

Location Name	Peoria Police Department
Room Name	Room 6

Camera Configuration

Camera 1	Camera 1 will be a(n) : AXIS F41/F1025 Covert IP Camera Covert Enclosure : Flush Mount Enclosure Mic: Louroe Tamper Proof Mic
Recording Activation	Recording will be triggered via IR Client
External Recording-In-Progress Visual	N/A
Wall Configuration	Drywall
Ceiling Configuration	Standard Tile

Additional Location Notes

Notes	
--------------	--

ROOM DETAILS: Room 7

The following sections detail the configurations specific to ROOM 7

Location Name	Peoria Police Department
Room Name	Room 7

Camera Configuration

Camera 1	Camera 1 will be a(n) : AXIS F41/F1025 Covert IP Camera Covert Enclosure : Flush Mount Enclosure Mic: Louroe Tamper Proof Mic
Recording Activation	Recording will be triggered via IR Client
External Recording-In-Progress Visual	N/A
Wall Configuration	Drywall
Ceiling Configuration	Standard Tile

Additional Location Notes

Notes	
--------------	--

ROOM DETAILS: Room 8

The following sections detail the configurations specific to ROOM 8

Location Name	Peoria Police Department
Room Name	Room 8

Camera Configuration

Camera 1	Camera 1 will be a(n) : AXIS F41/F1025 Covert IP Camera Covert Enclosure : Flush Mount Enclosure Mic: Louroe Tamper Proof Mic
Recording Activation	Recording will be triggered via IR Client
External Recording-In-Progress Visual	N/A
Wall Configuration	Drywall
Ceiling Configuration	Standard Tile

Additional Location Notes

Notes	
--------------	--

ROOM DETAILS: Room 9

The following sections detail the configurations specific to ROOM 9

Location Name	Peoria Police Department
Room Name	Room 9

Camera Configuration

Camera 1	Camera 1 will be a(n) : AXIS F41/F1025 Covert IP Camera Covert Enclosure : Flush Mount Enclosure Mic: Louroe Tamper Proof Mic
Recording Activation	Recording will be triggered via IR Client
External Recording-In-Progress Visual	N/A
Wall Configuration	Drywall
Ceiling Configuration	Standard Tile

Additional Location Notes

Notes	
--------------	--

Axon International, Inc's Sales Terms and Conditions for Direct Sales to End User Purchasers

This Statement of Work is bound to the applicable signed quote. Upon confirmation of the installation dates, to be confirmed in writing, the agency will give no less than a 2-week advanced notice of cancellation or change from the date of the scheduled installation. In the event the Agency cancels 2 weeks or less from the date of the scheduled installation, the agency will be responsible for all travel booked, and resource costs associated with the cancelled installation. Rescheduling of the installation will be at the discretion of Axon Professional Services based on available dates within the installation schedule calendar.

Changes to the scope of this SOW must be documented and agreed upon by the Parties in a change order. If the changes cause an increase or decrease in any charges or cause a scheduling change from that originally agreed upon, an equitable adjustment in the charges or schedule will be agreed upon by the Parties and included in the change order, signed by both Parties.