ALL WINDOW CALL OUTS MUST BE VERIFIED PRIOR TO CONSTRUCTION. WINDOW COMPANIES USE DIFFERENT CRITERIA, 50 VERIFICATION OF INCHES OR FEET AND INCHES ON SIZE, FRAME SIZE, ETC. MUST BE VERIFIED BY GENERAL CONTRACTOR.

LS BUILDING PRODUCTS CAN NOT BE HELD RESPONSIBLE FOR ANY MATERIAL NOT SUPPLIED BY LS BUILDING PRODUCTS. THE GENERAL CONTRACTOR HAS THE RESPONSIBILITY TO MAKE SURE ALL MATERIALS WORK TOGETHER PROPERLY.

ACTUAL GRADE CANNOT BE DETERMINED. ALL GRADE FACTORS MUST BE CHECKED ON SITE PRIOR TO CONSTRUCTION.

THE GENERAL CONTRACTOR HAS THE RESPONSIBILITY TO REVIEW THESE DRAWINGS PRIOR TO CONTRUCTION TO ENSURE THEY ARE CORRECT, CONSISTENT, AND COMPLY WITH ALL APPLICABLE CODES. ALL DIMENSIONS MUST BE VERIFIED PRIOR TO CONSTRUCTION.

L5 Building Products does not have the capability to solve wall bracing issues with wall studs exceeding 12' in height. Any wall with a stud height more than12' will most likely need engineering to pass code inforcement. The contractor is held liable for all code inforcing issues and expenses.

llinois Architecture Practice Act of 1989 allotting for the design and construction of by a non-licensed designer, these plans are not intended to be relied upon as being building Products and all Affiliates neither assumes nor warrants any responsibility or losses resulting in the use of these plans, drawings and specification documents. Adged that these plans etc. were not in any form constructed by an architect, ed individual, and therefore can not be relied upon for structural integrity. It is the spurchaser/ contractor/ builder to verify all plan documents for their accuracy and a construction. It is recommended by all planties that a licensed professional revieu.



2

OF

OOM

**BEDR**(

4

ASHLE

THE

HABITAT FOR HUMANITY

SCALE: 1/8"= 1'-0"

DATE: 6/29/2016 NE MONROE, PEORIA

**NEW CONSTRUCTION PROJECT FOR** 

CLIENT/CONTRACTOR

FRONT ELEVATION



FINAL PLAN

ALL WINDOW CALL OUTS MUST BE VERIFIED PRIOR TO CONSTRUCTION. WINDOW COMPANIES USE DIFFERENT CRITERIA, 50 VERIFICATION OF INCHES OR FEET AND INCHES ON SIZE, FRAME SIZE, ETC. MUST BE VERIFIED BY GENERAL CONTRACTOR.

LS BUILDING PRODUCTS CAN NOT BE HELD RESPONSIBLE FOR ANY MATERIAL NOT SUPPLIED BY LS BUILDING PRODUCTS. THE GENERAL CONTRACTOR HAS THE RESPONSIBILITY TO MAKE SURE ALL MATERIALS WORK TOGETHER PROPERLY.

ACTUAL GRADE CANNOT BE DETERMINED. ALL GRADE FACTORS MUST BE CHECKED ON SITE PRIOR TO CONSTRUCTION.

THE GENERAL CONTRACTOR HAS THE RESPONSIBILITY TO REVIEW THESE DRAWINGS PRIOR TO CONTRUCTION TO ENSURE THEY ARE CORRECT, CONSISTENT, AND COMPLY WITH ALL APPLICABLE CODES. ALL DIMENSIONS MUST BE VERIFIED PRIOR TO CONSTRUCTION.

LS Building Products does not have the capability to solve wall bracing issues with wall studs exceeding 12' in height. Any wall with a stud height more than12' will most likely need engineering to pass code inforcement. The contractor is held liable for all code inforcing issues and expenses.

nois Architecture Practice Act of 1989 allotting for the design and construction of y a non-licensed designer, these plans are not intended to be relied upon as being fullding Products and all Affiliates neither assumes nor warrants any responsibility losses resulting in the use of these plans, drawings and specification documents. ged that these plans etc. were not in any form constructed by an architect, individual, and therefore can not be relied upon for structural integrity. It is the urchaser/ contractor/ builder to verify all plan documents for their accuracy and construction. It is recommended buil parties that a licensed professional review.



2

OOM

BEDR

4

ASHLE

THE

HABITAT FOR HUMANITY

SCALE: 1/8"= 1'-0"

DATE: 6/29/2016 NE MONROE, PEORIA

**NEW CONSTRUCTION PROJECT FOR** 

CLIENT/CONTRACTOR

REAR ELEVATION



RIGHT ELEVATION

ALL WINDOW CALL OUTS MUST BE VERIFIED PRIOR TO CONSTRUCTION. WINDOW COMPANIES USE DIFFERENT CRITERIA, SO VERIFICATION OF INCHES OR FEET AND INCHES ON SIZE, FRAME SIZE, ETC. MUST BE VERIFIED BY GENERAL CONTRACTOR.

LS BUILDING PRODUCTS CAN NOT BE HELD RESPONSIBLE FOR ANY MATERIAL NOT SUPPLIED BY LS BUILDING PRODUCTS. RESPONSIBILITY TO MAKE SURE ALL MATERIALS WORK TOGETHER PROPERLY

ACTUAL GRADE CANNOT BE DETERMINED. ALL GRADE FACTORS MUST BE CHECKED ON SITE PRIOR TO CONSTRUCTION.

THE GENERAL CONTRACTOR HAS THE RESPONSIBILITY TO REVIEW THESE DRAWINGS PRIOR TO CONTRUCTION TO ENSURE THEY ARE CORRECT, CONSISTENT, AND COMPLY WITH ALL APPLICABLE CODES. ALL DIMENSIONS MUST BE VERIFIED PRIOR TO CONSTRUCTION.

LS Building Products does not have the capability to solve wall bracing issues with wall studs exceeding 12' in height. Any wall with a stud height more than 12' will most likely need engineering to pass code inforcement. The contractor is held liable for all code inforcing issues and expenses.

-10'-8 1/2" BEDROOM UNEXCAVATED 4" CONCRETE SLAB POURED OVER 4" MIN. COMPACTED FILL STORAGE / MECHANICAL UNEXCAVATED

FOUNDATION PLAN

NOTE: 8" THICK POURED CONCRETE WALLS, 8' HIGH 16" CONTINUOUS FTG. CEILING HEIGHT IS 8'-0" +/-

KITCHEN 12'-9" X 8'-10" GARAGE 14'-8" X 22'-3" 2X4 EXTERIOR GARAGE CONSTRUCTION 2X6 INTERIOR GARAGE TO HOUSE CONSTRUCTION DINING 2 - 9 1/4" LVL 6'-11 1/2" LIVING ROOM SECOND FLR. CANTILEVER - 9'-10 1/2" · **COVERED PORCH** 

FIRST FLOOR PLAN

LIVING AREA

NOTE: 2X6 EXTERIOR CONSTRUCTION-DIMENSION ED 90 OUTSIDE 1/2" SHEATHING 2X4 INTERIOR CONSTRUCTION-DIMENSIONED TO STUD FACE FIRST FLOOR HEIGHT IS 9'-1 1/8"+/-ALL OVERHANGS ARE 16"

FINAL PLAN

2

OOM NEW CONSTRUCTION PROJECT FOR SHLEY - 4 BEDR NE MONROE, PEORIA

 $\triangleleft$ 

THE

CLIENT/CONTRACTOR HABITAT FOR HUMANITY

SCALE: 1/8"= 1'-0" DATE: 6/29/2016



ALL WINDOW CALL OUTS MUST BE VERIFIED PRIOR TO CONSTRUCTION. WINDOW COMPANIES USE DIFFERENT CRITERIA, 50 VERIFICATION OF INCHES OR FEET AND INCHES ON SIZE, FRAME SIZE, ETC. MUST BE VERIFIED BY GENERAL CONTRACTOR.


LS BUILDING PRODUCTS CAN NOT BE HELD RESPONSIBLE FOR ANY MATERIAL NOT SUPPLIED BY LS BUILDING PRODUCTS. THE GENERAL CONTRACTOR HAS THE RESPONSIBILITY TO MAKE SURE ALL MATERIALS WORK TOGETHER PROPERLY.

ACTUAL GRADE CANNOT BE DETERMINED. ALL GRADE FACTORS MUST BE CHECKED ON SITE PRIOR TO CONSTRUCTION.

THE GENERAL CONTRACTOR HAS THE RESPONSIBILITY TO REVIEW THESE DRAWINGS PRIOR TO CONTRUCTION TO ENSURE THEY ARE CORRECT, CONSISTENT, AND COMPLY WITH ALL APPLICABLE CODES. ALL DIMENSIONS MUST BE VERIFIED PRIOR TO CONSTRUCTION.


LS Building Products does not have the capability to solve wall bracing issues with wall studs exceeding 12' in height. Any wall with a stud height more than12' will most likely need engineering to pass code inforcement. The contractor is held liable for all code inforcing issues and expenses.

recinicature Fractice Act of 1964 allotting for the design and construction of on-licensed designer, these plans are not intended to be relied upon as being g Products and all Affiliates neither assumes nor warrants any responsibility is resulting in the use of these plans, drawings and specification documents. These plans etc. were not in any form constructed by an architect, idual, and therefore can not be relied upon for structural integrity. It is the least contractor/ builder to verify all plan documents for their accuracy and the least contractory and constructed by the least contractory are consistent to verify all plan documents for their accuracy and the least contractory and constructed by the least contractory and contractory builder to verify all plan documents for their accuracy and contractory builder to verify all plan documents for their accuracy and contractory builder to verify all plan documents for their accuracy and contractory builder to verify all plan documents for their accuracy and contractory builder to verify all plan documents for their accuracy and contractory builder to verify all plan documents for their accuracy.



## SECOND FLOOR PLAN

NOTE: 2X6 EXTERIOR CONSTRUCTION-DIMENSIONED TO OUTSIDE 1/2" SHEATHING 2X4 INTERIOR CONSTRUCTION-DIMENSIONED TO STUD FACE SECOND FLOOR HEIGHT IS 8-1 1/8"+/- WINDOW OPG TO BE 24" ABOVE FINISHED FLOOR; 84" HEADER HT.



OF 5

NEW CONSTRUCTION PROJECT FOR THE ASHLEY - 4 BEDROOM NE MONROE, PEORIA

CLIENT/CONTRACTOR
HABITAT FOR
HUMANITY

DATE: 6/29/2016 SCALE: 1/8"= 1'-0"



ALL WINDOW CALL OUTS MUST BE VERIFIED PRIOR TO CONSTRUCTION. WINDOW COMPANIES USE DIFFERENT CRITERIA, 50 VERIFICATION OF INCHES OR FEET AND INCHES ON SIZE, FRAME SIZE, ETC. MUST BE VERIFIED BY GENERAL CONTRACTOR.

LS BUILDING PRODUCTS CAN NOT BE HELD RESPONSIBLE FOR ANY MATERIAL NOT SUPPLIED BY LS BUILDING PRODUCTS. THE GENERAL CONTRACTOR HAS THE RESPONSIBILITY TO MAKE SURE ALL MATERIALS WORK TOGETHER PROPERLY.

ACTUAL GRADE CANNOT BE DETERMINED. ALL GRADE FACTORS MUST BE CHECKED ON SITE PRIOR TO CONSTRUCTION.

THE GENERAL CONTRACTOR HAS THE RESPONSIBILITY TO REVIEW THESE DRAWINGS PRIOR TO CONTRUCTION TO ENSURE THEY ARE CORRECT, CONSISTENT, AND COMPLY WITH ALL APPLICABLE CODES. ALL DIMENSIONS MUST BE VERIFIED PRIOR TO CONSTRUCTION.

LS Building Products does not have the capability to solve wall bracing issues with wall studs exceeding 12' in height. Any wall with a stud height more than12' will most likely need engineering to pass code inforcement. The contractor is held liable for all code inforcing issues and expenses.

Illinois Architecture Practice Act of 1484 allotting for the design and construction of subtain a non-licensed designer, these plans are not intended to be relied upon as being 5 Building Products and all Affiliates neither assumes nor warrants any responsibility or losses resulting in the use of these plans, drawings and specification documents. Eagled that these plans etc. were not in any form constructed by an architect, ed individual, and therefore can not be relied upon for structural integrity. It is the purchaser/ contractor/ builder to verify all plan documents for their accuracy and

70.67 20 CONCRETE DRIVEWAY 10.14' 20, -12' MONROE STREET

SITE PLAN SCALE = 1 : 20

FINAL PLAN

5 OOM **NEW CONSTRUCTION PROJECT FOR** BEDR NE MONROE, PEORIA 4 ASHLE THE CLIENT/CONTRACTOR HABITAT FOR HUMANITY SCALE: 1/8"= 1'-0" DATE: 6/29/2016

2





